11"

7-7/8"

8-5/8"


5-1/2"

#### SUBMIT IN TRESLICATE\* (Other instructions of reverse side)

i om approved.	
Budget Bureau No. 1004-0136	
Expires: December 31, 1991	

TATE A PARTY COME	~-		
DEPARTMENT	OF	THE	INTERIOR
DIMEAUCRE			CITY (EXID

5. LEASE DESIGNATION AND SERIAL NO. UTU-73003 77352 BUREAU OF LAND MANAGEMENT 6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL OR DEEPEN N/A Ia. TYPE OF WORK 7. UNIT AGREEMENT NAME X DRILL DEEPEN N/A b. TYPE OF WELL 8. FARM OR LEASE NAME, WELL NO. OIL GAS SINGLE MULTIPLE WELL X OTHER USA 26-256 ZONÉ ZONE 2. NAME OF OPERATOR 9. API WELL NO. RIVER GAS COPORATION 3. ADDRESS AND TELEPHONE NO. 10. FIELD AND POOL, OR WILDCAT 1305 So. 100 E. Price, Utah 84501 (801) 637-8876 Undesignated 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*) 11. SEC., T., R., M., OR BLK. 1274' FSL, 1351' FWL AND SURVEY OR AREA SE/4, SW/4, Sec.26, T15S, At proposed prod. zone R9E, SLB&M 14.. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\* 12. COUNTY OR PARISH 13. STATE 9.6 Miles Southwest of Price, Utah **CARBON** JTAH 15 DISTANCE EROM PROPOSEDS 16. NO. OF ACRES IN LEASE NO. OF ACRES ASSIGNED LOCATION TO NEAREST TO THIS WELL 1274' 160 acres PROPERTY OR LEASE LINE, FT. 1400 acres (Also to nearest drig, unit line, if any) 18. DISTANCE FROM PROPOSED 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS LOCATION TO NEAREST WELL 2600 Rotary 2850' DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF,RT,GR,etc.) 22. APPROX. DATE WORK WILL START\* GR 6007 June 1998 PROPOSED CASING AND CEMENTING PROGRAM 23. SIZE OF HOLE GRADE, SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH **QUANTITY OF CEMENT** 14" 12-3/4" Conductor 25 '



306 sks 50/50 POZ +8%gel+2%CaCl+10%extender, 75 sks "G"

137 sks. G+2% CaCl+1/4# per sack flocel

### Federal Approval of this Action is Necessary

285

2850

thixotropic

24 #/ft

17 #/ft

IN ABOVE SI pertinent data on su	PACE DESC! bsurface location	RIBE PRO	POSED P	ROGRAM: tical depths. Giv	If proposal i re blowout p	s to deepen, give data present productive zone and proposed new productive zone. reventer program, if any.	If proposal is to drill or deepen directionally, give
24.	T-	0	1/	- 11			

Permit Specialist May 6, 1998 (This space for Federal or State office use PERMIT NO. APPROVAL DATE

applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Application approval does not warrant or certify


CONDITIONS OF APPROVAL, IF ANY

APPROVED BY

BRADLEY G. HILL **RECLAMATION SPECIALIST III** 

\*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency or the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.





# RIVER GAS CORPORATION

COPY

UTAH OPERATIONS 1305 South 100 East Price, Utah 84501 Bus. (435) 637-8876 FAX (435) 637-8924

July 2, 1998

Mr. Eric Jones Petroleum Engineer Bureau of Land Management 82 E. Dogwood Moab, Utah 84532

RE: Revised APD-cover sheet USA 26-256, SE/4,SW/4, Sect.26 T15S, R09E, SLB & M, Carbon County, Utah

Dear Eric:

Following is a signed APD cover sheet, please update your well file and accept our apologies for any inconvenience that this may have caused.

Please feel free to call me if you should have any questions.

Sincerely,

Don S. Hamilton

Permit Specialist

cc: Mr. Don Stephens, BLM, Price, Utah

Mr. John Baza, DOGM

Don S. Hamilton

Mrs. Tammie Butts, River Gas Corporation

RGC Well File

DECEIVE JUL 06 1998 DIV. OF OIL, GAS & MINING

\* 980707 Original missing operator signature. Lec

1305 South 100 East Price, Utah 84501 (801) 637-8876 (801) 637-8924 fax

# River Gas Corporation

To: Le	<u>isha Cor</u>	dova	Fa:	c 1-80	1-35	9-3940		
From:	surie In	pon	Da	10:5-8	-98			
Re:		\ 	Pa	ges: 2				
CC:								
□ Urgent	☐ For Review	☐ Pleas	se Comment	□ Please	Reply	☐ Please Recycle		
		· · · · · · · · · · · · · · · · · · ·						
•	•	•	•	•	•	•	•	
Notes:	ISA 26	-251	o API	D CO	ier le	Her-		
Plea	se acce	at th	nis 4 i	add	to uc	surfiles.	Than	nkya
Sorr	u for t	w in	conver	nier	٦٤.			J
	7							
<del></del>			***				<del></del>	
					<del></del>		<del>_</del> _	
							<del> </del>	
····								
		<u>.</u>			····	· · · · · · · · · · · · · · · · · · ·		






# RIVER GAS CORPORATION

UTAH OPERATIONS 1305 South 100 East Price, Utah 84501 Bus. (435) 637-8876 FAX (435) 637-8924

May 6, 1998

Mr. Eric Jones Petroleum Engineer Bureau of Land Management 82 E. Dogwood Moab, Utah 84532

RE: Application for Permit to Drill-USA 26-256, SE/4,SW/4, Sect.26 T15S, R09E, SLB & M, Carbon County, Utah



### Dear Eric:

Enclosed is the original of the *Application for Permit to Drill* (APD) and a Sundry Notice (requesting exception to spacing) for the above named well. Included with the APD is the following information:

Exhibit "A"- Survey plat of the proposed well site;

Exhibit "B" - Proposed Location Map with Pipeline, Power, and Road Access;

Exhibit "C" - Drilling Site Layout;

Exhibit "D" - On-site Inspection Checklist;

Exhibit "E" - Production Site Layout;

Exhibit "F" - Typical Road Cross-section;

Exhibit "G" - BOP Diagram;

Exhibit "H" - Typical Wellhead Manifold;

Please accept this letter as River Gas Corporation's written request for confidential treatment of all information contained in and pertaining to this permit application, if said information is eligible for such consideration.

Thank you very much for your timely consideration of this application. Please feel free to contact me if you have any questions.

Sincerely,

Don S. Hamilton

Don S. Hamilton Permit Specialist

cc: Mr. Don Stephens, BLM, Price, Utah

Mr. Chuck Snure, Texaco

Mr. R.A. Lamarre, Texaco

Mr. Gee Lake, Jr., Dominion Resources

Mr. John Baza, DOGM

Mrs. Tammie Butts. River Gas Corporation

RGC Well File


DN #01011 0F	~	0404410	
DIVISION OF	OIL,	GAS AND	MINING

	DIVISION OF OIL, GAS AND MI	NING	
	DIVIDION OF OIL, GAS AND WI	MING	5. Lease Designation and Serial Number:
·			UTU-73003
SUNDRY NO	TICES AND REPORTS O	N WELLS	6. If Indian, Allottee or Tribe Name:
CONDIT!	THE OTTO	·	N/A
Do not use this form for proposals t	to drill new wells, deepen existing wells, or to reenter	chiqued and abandoned wells	7. Unit Agreement Name:
	N FOR PERMIT TO DRILL OR DEEPEN form for such		N/A
1. Type of Well: OIL GAS XI	OTHER:		8. Well Name and Number:
1. Type of Weil. OIL II S/(S/II)	OTTEX.	•	USA 26-256
2. Name of Operator:			9. API Well Number:
Rive	r Gas Corporation		
Address and Telephone Number:			10. Field or Pool, or Wildcat:
1305	South 100 East, Price, UT 84501 (	801)637-8876	Undesignated
4. Location of Well			
Footages: 1274' FSL,	1351' FWL		County: CARBON
QQ, Sec., T., R., M.: SE/4, SW/4,	Sec.26, T15S, R09E, SLB&M		State: UTAH
	RIATE BOXES TO INDICATE N	IATURE OF NOTICE,	
	E OF INTENT		SUBSEQUENT REPORT
•	nit in Duplicate)		(Submit Original Form Only)
☐ Abandon	□ New Construction	☐ Abandon *	□ New Construction
□ Repair Casing	□ Pull or Alter Casing	☐ Repair Casing	☐ Pull or Alter Casing
☐ Change of Plans	☐ Recomplete	☐ Change of Plans	☐ Reperforate
□ Convert to Injection	☐ Reperforate	☐ Convert to Injection	n 🔲 Vent or Flare
☐ Fracture Treat or Acidize	□ Vent or Flare	☐ Fracture Treat or /	Acidize   Water Shut-Off
☐ Multiple Completion	☐ Water Shut-Off	☐ Other	
□ Other			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Date of work completion

Request for exception to the state spacing rule based at the request of the BLM.



Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

13.				
Name & Signature: Don S. Hamilton	Don S.	Hamilton	Title: Permit Specialist	Date: <u>5/6/98</u>

(This space for state use only)

Approximate date work will start

<u>UT-060-3160-1</u> December, 1992

Bureau of Land Management Moab District Application for Permit to Drill On-Site Inspection Checklist

Company River Gas Corporation	Well No. 26-256
Location: Sec. <u>26</u> , T <u>15</u> S, R <u>9</u> E,	Lease No. UTU-73003
On-Site Inspection Date:3-25-98	

All operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, the approved plan of operations and the conditions of approval. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

### A. DRILLING PROGRAM

1. <u>Surface Formation and Estimated Formation Tops:</u>

Surface formation: Upper Mancos Shale Estimated top of Ferron Formation: 2,210'

2. <u>Estimated Depth at Which Oil, Gas, Water or Other Mineral Bearing Zones are Expected to be Encountered</u>

Depth

Formation

Expected Oil Zones: none

Expected Gas Zones: Ferron Coal Interval: 2,235'-2,365'

Expected Water Zones: 2,235'-2,365' Expected Mineral Zones: none

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and will be cased and cemented. When possible, water flow rates will be measured and samples will be taken and analyzed. All oil and gas shows will be tested to determine commercial potential.

3. <u>Pressure Control Equipment</u>- include schematics of the BOP and choke manifold, and describe testing procedures: Quick Test is contracted to test the manifold, blind rams, and B.O.P to 2000 psi. Surface casing is tested to 1 psi/ft. See attachment.

BOP systems will be consistent with API RP 53 and Onshore Oil and Gas Order No. 2. Pressure tests of the surface casing and all BOP equipment potentially subject to pressure will be conducted before drilling the surface casing shoe. Blowout preventer controls will be installed prior to drilling the surface casing shoe and will remain in use until the well is completed or abandoned. Ram preventers shall be inspected and operated each trip (no more than once a day is necessary), and annular preventers shall be inspected and operated weekly to ensure good mechanical working order. These inspections shall be recorded in the drilling log and in the daily drilling report.

- 4. <u>Casing Program and Auxiliary Equipment</u> include casing size, weight, grade, thread and coupling, setting depth and condition (new or acceptably reconditioned): Approximately 2850' of 5 ½",17#/ft,N-80,LT&C production casing and approximately 10% of the above setting depth will be 8 5/8", 24#/ft J-55 surface casing.
- 5. <u>Cement-include</u> the cement type, density, yield, additives and amount used in setting each casing string. Also include the anticipated cement fill-up. If stage cementing, describe techniques: See cement design.
- 6. <u>Mud Program and Circulating Medium</u>- include mud components and weights. When air drilling, also include: length and location of blooie line; description of the auto ignitor; description of the deduster equipment; and amounts, types and characteristics of stand-by mud: Hole will be drilled with air.
- 7. <u>Coring, Logging and Testing Program</u>: Bulk Density, Gamma, Neutron Density, Resistivity and Caliper logs will be ran.

  Initial opening of drill stem test tools will be restricted to daylight hours.
- 8. <u>Abnormal Conditions, Bottom Hole Pressures and Potential Hazards</u>- include anticipated bottomhole pressure and/or pressure gradient: No abnormal conditions are anticipated. Formation is slightly over-pressured. Estimated BHP: 1420 psi.
- 9. Any Other Aspects of this Proposal that should be Addressed:

### B. THIRTEEN POINT SURFACE USE PLAN

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

### 1. Existing Roads:

- a. Proposed route to location (submit a map depicting access and well location).
- b. Location of proposed well in relation to town or other reference point: 8.6 miles southwest of Price, Ut.
- c. Contact the County Road Department for use of county roads. The use of San Juan County roads will require an encroachment permit from the San Juan Road Department.
- d. Plans for improvement and/or maintenance of existing roads:
- e. Other:

### 2. Planned Access Roads:

- a. Location (centerline): Prop.USA 26-257 Approx:1263'FSL,1368' FEL
- b. Length of new access top be constructed: 2600' Class III
- c. Length of existing roads to be upgraded: none
- d. Maximum total disturbed width: 45'
- e. Maximum travel surface width: 20'

f. Maximum grades: 6%

g. Turnouts: N/A

h. Surface materials: In-place residual of Mancos Shale.

- i. Drainage (crowning, ditching, culverts, etc): Roads will be crowned with bar ditches on both sides & 4 culverts placed along new road.
- j. Cattleguards: N/A
- k. Length of new and/or existing roads which lie outside the lease boundary for which a BLM right-of-way is required: N/A
- l. Other:

Surface disturbance and vehicular travel will be limited to the approved location access road. Any additional area needed must be approved by the Area Manager advance.

If a right-a-way is necessary, no surface disturbing activities shall take place on the subject right-of-way until the associated APD is approved. The holder will adhere to conditions of approval in the Surface Use Program of the approved APD, relevant to any right-of-way facilities.

If a right-of-way is secured, boundary adjustments in the lease or unit shall automatically amend this right-of-way to include that portion of the facility no longer contained within the lease or unit. In the event of an automatic amendment to this right-of-way grant, the prioron-lease/unit conditions of approval of this facility will not be affected even though they would now apply to facilities outside of the lease/unit as a result of a boundary adjustment. Rental fees, if appropriate shall be recalculated based on the conditions of this grant and the regulations in effect at the time of an automatic amendment.

If the well is productive, the access road will be rehabilitated or brought to Resource (Class III) Road Standards within 60 days of dismantling the rig. If upgraded, the access road must be maintained at these standards until the well is properly abandoned. If this time frame cannot be met, the Area Manager will be notified so that temporary drainage control can be installed along the access road.

- 3. <u>Location of Existing Wells</u>-on a map, show the location of all water, injection, disposal, producing and drilling wells within a one mile radius of the proposed well, and describe the status of each: See Attachment "B"
- 4. <u>Location of Production Facilities</u>:

a. On-site facilities: See Attachment "E"

b. Off-site facilities: none

c. Pipelines: N/A

All permanent (in place for six months or longer) structures constructed or installed (including oil well pump jacks) will be painted a flat, nonreflective color to match the standard environmental colors, as determined by the Rocky Mountain Five-State Interagency Committee. All facilities will be painted within six months of installation. Facilities required

by comply with the Occupational Safety and Health Act (OSHA) may be excluded. Colors will be as follows:tan

All site security guidelines identified in 43 CFR § 3163.7-5 and Onshore Oil and Gas Order No. 3 Colors will be as follows: tan

If a gas meter run is constructed, it will be located on lease within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and will be buried downstream of the meter until it leaves the pad. Meter runs will be housed and/or fenced. The gas meter shall be calibrated prior to first sales and shall be calibrated quarterly thereafter. All gas production and measurement shall comply with the provisions of 43 CFR § 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 1 ½ times the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All oil production and measurement shall conform to the provisions of 43 CFR § 3162.7-3 and Onshore Oil and Gas Order No. 4

Production facilities on location may include a lined or unlined produced water pit as specified in NTL-2B. If water is produced from the well, an NTL-2B application must be submitted.

### 5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from (describe location and/or show on a map): PRWID

\*\*Tublic Water Source\*\*

### 6. Source of Construction Material:

Pad construction material will be obtained from (if the source is Federally owned, show location on a map): Private owner in East Price.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

### 7. Methods of Handling Waste Disposal:

Describe the methods and locations proposed for safe containment and disposal of waste material, e.g. cuttings, produced water, garbage, sewage, chemicals, etc.

The reserve pit will be lined with (native material, bentonite, synthetic material): Pit will be lined with native material unless designated otherwise by BLM officers prior to construction.

The reserve pit will be located: on the West end of the location, and the pit walls will be sloped at no greater than 2 to 1.

The reserve pit shall be located in cut material, with at least 50% of the pit volume being below original ground level. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. As soon as the reserve pit has dried, all areas not needed for production will be rehabilitated.

Trash must be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations.

- 8. Ancillary Facilities: Garbage Containers and Portable Toilets.
- 9. Well Site Layout depict the pit, rig, cut and fill, topsoil, etc. on a plat with a scale of at least 1" = 50'.

All well, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.6.

Access to the well pad will be from: East

The blooie line will be located: on the West end of the location, at least 100 feet from the well head.

To minimize the amount of fugitive dust and spray escaping from the blooie pit, the following blooie line deflection method will be employed: Water Injection.

### 10. Plans for Restoration of the Surface:

The top 6 inches of topsoil material will be removed from the location and stockpiled separately on: Adjacent land.

Topsoil along the access road will be reserved in place adjacent to the road.

Immediately upon completion of drilling, all equipment that is not necessary for production shall removed.

The reserve pit and that portion of the location not needed for production will be reclaimed.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry.

Reclaimed roads will have the berms and cuts reduced and will be closed to vehicle use.

All disturbed areas will be recontoured to replicate the natural slope.

The stockpiled topsoil will be evenly distributed over the disturbed area.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled between Sept and Nov., or at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The following seed mixture will be used:

BLM-recommended mixture.

The abandonment marker will be one of the following, as specified by BLM:

- 1) at least four feet above ground level.
- 2) at restored ground level, or

3) below ground level.

In any case the marker shall be inscribed with the following: operator name, lease number, well name and surveyed description (township, range, section and either quarter-quarter or footages).

Additional requirements:

11. Surface and Mineral Ownership: BLM

#### 12. Other Information:

a. Archeological Concerns: None that RGC is aware of.

The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five (5) working days, the AO will inform the operator as to:

- whether the materials appear eligible for the National Register of Historic Places;
- the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that the required mitigation has been completed, the operator will then be allowed to resume construction.

- b. Threatened and Endangered Species Concerns: No
- c. Wildlife Seasonal Restrictions (yes/no): See EIS
- d. Off Location Geophysical Testing: N/A
- e. Drainage crossings that require additional State or Federal approval: N/A
- f. Other: N/A

### 13. Lessee's or Operator's Representative and Certification

Representative:

Name: Don S. Hamilton

Title: Permit Specialist

Address: 1305 South 100 East Price, Utah 84501

Phone No: (435)637-8876

### Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements make in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by RGC and its contractors and subcontractors in conformity with this APD package and the terms and

conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under BLM bond no. S304604. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Don	. Hamilton	
Signature		
Permit Specialist		May 5, 1998
Γitle		Date

### C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

<u>Building Location</u>- Contact the Resource Area, Natural Resource Protection Specialist at least 24 hours prior to commencing construction of location.

<u>Spud-</u> The spud date will be reported to the Resource Area Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted the District Office within 24 hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

<u>Daily Drilling Reports</u>- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the District Office on a weekly basis.

Monthly Reports of Operations- In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices- There will be no deviation from the proposed drilling and/or workover program without prior approval from the Assistant District Manager. "Sundry Notices and Reports on Wells: (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2. Safe drilling and operating practices must be observed.

<u>Drilling Suspensions</u>- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Authorized Officer. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

<u>Undesirable Events</u>- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Resource Area in accordance with requirements of NTL-3A.

<u>Cultural Resources</u>- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Area Manager is to be notified.

<u>First Production</u>- Should the well be successfully completed for production, the Assistant District Manager, Minerals Division will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Resource Area Office. The Resource Area Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the District Office not later than thirty (30) days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs, core descriptions, core analysis, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings and/or samples) will be submitted when requested by the Assistant District Manager.

<u>Venting/Flaring of Gas-NTL-4A</u> allows venting/flaring of gas during the initial well evaluation period not to exceed 30 days or 50 MMcf. Venting/flaring beyond the initial test period threshold must be approved by the District Office.

<u>Produced Water- Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production.</u> During the 90 day period, an application for approval of a permanent disposal method and location, along with the required water anlysis, will be submitted to the Assistant District Manager for approval pursuant to NTL-2B.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the Assistant District Manager for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

<u>Plugging and Abandonment</u>- If the well is completed as a dry hole, plugging instructions must be obtained from the BLM, Moab District Office prior to initiating plugging operations. Table 1 of this document provides the after-hours phone numbers of personnel who are authorized to give plugging instructions.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Assistant District Manager, Minerals Divisions within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager or his representative, or the appropriate surface managing agency.

# TABLE 1 NOTIFICATIONS

Notify Don Stephens of the Price Resource Area, at (435)636-3608 for the following:

- 2 days prior to commencement of dirt work, construction or reclamation;
- I day prior to spudding;
- 50 feet prior to reaching surface and intermediate casing depths;
- 3 hours prior to testing BOPE;
- 12 hours prior to reaching kickoff point depth (if applicable).

If the person at the above number cannot be reached, notify the Moab District Office at (435) 259-6111. If unsuccessful, notify one of the people listed below.


Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab District Office, Branch of Fluid Minerals at (435) 259-6111. If approval is needed after work hours, you may contact the following:


Eric Jones, Petroleum Engineer Office: (435) 259-6111

Home: (435) 259-2214

If unable to reach the above individuals, please call:

Lynn Jackson, Office: (435) 259-6111 Chief, Branch of Fluid Minerals Home: (435) 259-7990





# APPROXIMATE YARDACES

CUT
(6") Topsoil Stripping = 750.0 Cu. Yds.

Remaining Location = 2,793.7 Cu. Yds.

TOTAL CUT = 3,543.7 Cu. Yds.

TOTAL FILL = 671.8 Cu. Yds.


1	DEATH BY: P. BOYLEN	
	CRECARD BY: L.W.J.	
	4/8/98	
1	As Shown	
	163 No. 272	L
1	BRANGE HO.	l
	<u>C-1</u>	
	1 or 4	tod

3286 South 125 West Price, Utah 04501 (801) 637-9300 FAX (801) 637-2833



#### Soudene

River Gas Corporation
Typical Cross Sections
Section 26, Section T15S, R9E, S.L.B.&M.
Well \$\mathbb{Z} 20-256




Proposed Location -- USA 26-256


Universal Transverse Mercator North 12 NAD83 (Conus)

Scale 1:75000 N 0 8000 Feet


5/6/1998
Pathfinder Office™

Trimble






# RIVER GAS CORPORATION



TYPICAL ROAD CROSS-SECTION

NOT TO SCALE


# DIVERTER HEAD



RIVER GAS CORP.

2" 5M FLANGED CHOKE
2" 5M GATE VALVE (FLANGED)
2" 5M STUDDED CROSS
2" 5M GATE VALVE (FLANGED)
2" 5M FLANGED CHOKE
2" 5M GATE VALVE (FLANGED)
3000# GAUGE

NOTE: NUMBER 8 GATE VALVE SITS ON TOP OF MANIFOLD BETWEEN STUDDED CROSS AND 3000# GAUGE.



MANIFOLD

APD RECEIVED: 05/08/98	API NO. ASSIGNED: 43-007-30445			
WELL NAME: USA 26-256 OPERATOR: RIVER GAS CORPORATION CONTACT: Don Hum. For (801) 637-887				
PROPOSED LOCATION:	INSPECT LOCATION BY: / /			
SESW 26 - T15S - R09E SURFACE: 1274-FSL-1351-FWL BOTTOM: 1274-FSL-1351-FWL CARBON COUNTY	TECH REVIEW Initials Date			
	Engineering			
UNDESIGNATED FIELD (002)	Geology			
LEASE TYPE: FED LEASE NUMBER: UTU-73003 77352 SURFACE OWNER: Frdera	Surface			
PROPOSED FORMATION: FRSD				
RECEIVED AND/OR REVIEWED:	LOCATION AND SITING:			
Plat Bond: Federal [ State [ Fee [ ]	R649-2-3. Unit			
(No. <u>\$304604</u> )  Ν Potash (Y/N)	R649-3-2. General			
Oil Shale (Y/N) *190-5(B) Water Permit	R649-3-3. Exception			
Water Permit  (No. fkwid / City of frice)  N RDCC Review (Y/N)  (Date:)	Drilling Unit Board Cause No: 243-1 (1/00) Date: 10-13-18			
N/A St/Fee Surf Agreement (Y/N)				
COMMENTS: * Need add't into. " Exc.	ot. foc."			
<b>'</b>				
STIPULATIONS: O FEDERAL APPR	ZOVAC			




OPERATOR: RIVER GAS CORP. (N1605)

FIELD: UNDESIGNATED (002)

SEC. 26 & 35, TWP 14S, RNG 9E

COUNTY: CARBON UAC: R649-3-3 & R649-3-2 USA 35-261



Form 3160-3 (December 1990).

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL,

DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

21. ELEVATIONS (Show whether DF,RT,GR,etc.)

# UNITED STATES

#### SUBMIT IN TRIP CATE\* (Other instructions on reverse side)

Form approved

Rotary

22. APPROX. DATE WORK WILL START\*


E

xpires: December 31, 1991
udget Bureau No. 1004-0136

DEPARTMENT BUREAU OF LA	UTU-73003-77352				
APPLICATION FOR PE	RMIT TO DRILL	OR DEEPEN		6. IF INDIAN, ALLOTTEE N/A	OR TRIBE NAME
DRILL X	DEEPEN			7. UNIT AGREEMENT NA N/A	ME
b. TYPE OF WELL OIL GAS WELL WELL OTHER	SINGLE ZONE	MULTIPLE ZONE		8. FARM OR LEASE NAM USA 26-256	E,WELL NO.
2. NAME OF OPERATOR RIVER GAS COPORATION				9. API WELL NO.	
3. ADDRESS AND TELEPHONE NO. 1305 So. 100 E. Price, Utah 8450	01 (801) 637-8876	5		10. FIELD AND POOL, OR Undesignated	
4. LOCATION OF WELL (Report location clearly and in accordance with any S At surface 1274' FSL, 1351' FWL  At proposed prod. zone	ate requirements.*)	CONFIDEN	TIAL	11. SEC.T.,R.,M., OR BLK AND SURVEY OR ARE SE/4, SW/4, Sec R9E, SLB&M	2.26, T15S,
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR 19.6 Miles Southwest of Price, Uta	ost office* h			12. COUNTY OR PARISH CARBON	13. STATE UTAH
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any)	16. NO. OF ACRES IN LI			NO. OF ACRES ASSIGNED TO THIS WELL 160 acres	
18 DISTANCE FROM PROPOSED	20. ROTARY OR CABLE TOOLS				


June 1998 GR 6007 PROPOSED CASING AND CEMENTING PROGRAM 23. **OUANTITY OF CEMENT** SIZE OF HOLE WEIGHT PER FOOT SETTING DEPTH GRADE, SIZE OF CASING 25 ' 12-3/4" 14" Conductor 137 sks. G+2% CaCl+1/4# per sack flocel 285' 11" 8-5/84 24 #/ft 306 sks 50/50 POZ +8%gel+2%CaCl+10%extender. 75 sks "G" 5-1/2" 17 #/ft 2850

2850'



thixotropic





2600'

APPROVAL ATTACHED

N ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give tinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any

SIGNED	Don	\$.	Hamilton	Permit Specialist	DATE	May 6, 1998
(This space for Fede	ral or State office use リろ	-007-3	0445	APPROVAL DATE		
]<	dhitian	ant or certify	00 V	equitable title to those rights in the subject lease elicit. Assistant Field Management Resource Management	would entitle the	sepplicant to conduct operations thereon.
APPROVED BY	AMILLIAM	VIII	TITLE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DATE	

\*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency or the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# United States Department of the Interior

## **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

JUN 2 4 1998

IN REPLY REFER TO 3100 UTU-73003 (UT-932) CERTIFIED MAIL--Return Receipt Requested

**DECISION** 

River Gas Corporation

(Und. 50% Int.)

511 Energy Center Blvd.

Northport, AL 35476

Texaco Exploration and Production Inc.

(Und. 50% Int.) P.O. Box 2100

Denver, CO 80201

Oil and Gas Lease

UTU-73003

### Lease Segregated

The 4th Expansion for the Drunkards Wash Unit Agreement was approved effective April 1, 1998, with River Gas Corporation as unit operator.

Part of the lands in the subject oil and gas lease are within the unit area and are committed to the unit agreement. Under regulations in 43 CFR 3107.3-2, oil and gas lease UTU-73003, dated April 1, 1994, is hereby segregated as to the lands outside the unit area as follows:

### Lands within the unit area, retaining Serial No.UTU-73003:

T. 15 S., R. 9 E., SLM, Utah

Sec. 25, S2;

Sec. 26, E2.

Containing 640.00 Acres

Annual Rental \$1,280.00

# Lands outside the unit area, segregated and given Serial No. UTU-77352:

T. 15 S., R. 9 E., SLM, Utah

Sec. 21, NE, E2NW, N2S2, SESE;

45A 26 250

Sec. 26, W2.

Containing 760.00 Acres

Annual Rental \$1,520.00

If you have any questions concerning this decision, please contact Linda Sorenson at 801-539-4112.

Linda K. Sorenson

Robert Lopez
Group Leader

Minerals Adjudication Group

bcc: Moab Field Office

Unit File - Drunkards Wash MMS, Rose Davalos


LSorenson:Is 6-24-98 (UTU-73003)

# STATE OF UTAH

DIVISION	OF	OIL,	GAS	AND	MINING

ווט	VISION OF OIL, GAS AND MIN	MING		
Di	VIOLOTO OIL, ONO / (IND INIII	11110	5. Lease Designation and Serial Number:	
	-		UTU-73003	
SUNDRY NOT	6. If Indian, Allottee or Tribe Name:  N/A  7. Unit Agreement Name:			
Do not use this form for proposals to di Use APPLICATION F				
	N/A  8. Well Name and Number:			
1. Type of Well: OIL GAS XI C	USA 26-256			
2. Name of Operator:			9. API Well Number:	
River (	Gas Corporation			
3. Address and Telephone Number:	-		10. Field or Pool, or Wildcat:	
	outh 100 East, Price, UT 84501 (8	01)637-8876	Undesignated	
4. Location of Well Footages: 1274' FSL, 13	51' FWI		County: CARRON	
			· Chabon	
QQ, Sec., T., R., M.: SE/4, SW/4, S	ec.26, T15S, R09E, SLB&M		State: UTAH	
11. CHECK APPROPR	IATE BOXES TO INDICATE N	A TURE OF NOTICE,	REPORT, OR OTHER DATA	
NOTICE	OF INTENT		SUBSEQUENT REPORT	
(Submit i	in Duplicate)		(Submit Original Form Only)	
□ Abandon	□ New Construction	☐ Abandon *	□ New Construction	on
☐ Repair Casing	☐ Pull or Alter Casing	_□ Repair Casing	☐ Pull or Alter Cas	sing
☐ Change of Plans	☐ Recomplete	☐ Change of Plans		-
☐ Convert to Injection		☐ Convert to Injectio		-
☐ Fracture Freat or Acidize	□ Vent or Flare	☐ Fracture Treat or A		
☐ Multiple Completion	☐ Water Shut-Off	□ Other		
□ Other		Date of work completion	n	
Approximate date work will start		Report results of Multip	e Completions and Recompletions to different rese	₹Voirs on WELL
•		COMPLETION OR RECOMPL	ETION REPORT AND LOG form.	
12 DESCRIBE PROPOSED OR COMPLETED O	PERATIONS (Clearly state all pertinent details, and	d give pertinent dates. If well is direct	tionally drilled give subsurface locations and measurface	sured and true
vertical depths for all markers and zones pertinent		· · · ·		
	=			
Request for exception	to the state spacing rule based at the	he request of the BLM.		
			그는 그를 다 맞는 빛	
	-			- 1 June 1
_				
	-	-	0-1	illiga –
			2	1
		-	<b>5</b> = <b>5</b>	
	_		<b>本語 5</b>	
-			- % 5	
-			.433	; * *
-				
_	_			
13.				
	D 1 11 .0	1	and Considering	
Name & Signature: Don S. Hamilton	Um S. Hamil	Title: Per	nit Specialist Date: 5	/6/98

(This space for state use only)



USA 26-256 Lease U-77352 SESW Section 26, T. 15 S., R. 09 E. Carbon County, Utah

### CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that River Gas Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0829 (Principal - River Gas Corporation) via surety consent as provided for in 43 CFR § 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR § 3106.7-2 continuing responsibility are met.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR § 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions and the approved plan will be made available to field representatives to insure compliance.

### A. DRILLING PROGRAM

- 1. The BOP system shall be rated to 2M as proposed. Installation, testing and operation of the system shall be in conformance with Onshore Oil and Gas Order No. 2.
- 2. Air drilling must be done in accordance with Onshore Oil and Gas Order No. 2, III.E. As a minimum use of a rotating head, spark arresters, blooie line, float valve, and automatic igniter is required.
- 3. In accordance with the proposal, cement for the 8-5/8" and 5-1/2" casing shall be circulated to surface. If the cement does not circulate, a CBL or other appropriate tool must be run to determine the top-of-cement.
- 4. Any fluid bearing zones or lost circulation zones encountered while drilling will be isolated behind casing and cement.
- 5. The proposed action requires approval of spacing requirements by the State of Utah, Division of Oil, Gas and Mining prior to conducting surface disturbing activities.

USA-26-256

### B. SURFACE USE

1. The following appendices are attached for your reference. They are to be followed as conditions of approval:

SM-1, Seed Mixture for Green Strip Areas SM-2, Seed Mixture for Final Reclamation

- 2. Whether the mud pit shall be lined will be determined at the time of construction.
- 3. Within six months of installation, surface structures shall be painted in the following flat, earth tone color: Desert Brown (10YR 6/3) Numbers in parenthesis refer to Munsell Soil Color Charts. Any brand of paint may be used provided the colors match. Any facilities that must be painted to comply with OSHA standards are exempt.

### **GENERAL CONSTRUCTION**

- 1. Operator shall contact the Price BLM Office at least forty-eight hours prior to the anticipated start of construction and/or any surface disturbing activities. The BLM may require and schedule a preconstruction conference with the operator prior to the operator commencing construction and/or surface disturbing activities. The operator and the operator's contractor, or agents involved with construction and/or any surface disturbing activities associated with the project, shall attend this conference to review the Conditions of Approval and plan of development. The operator's inspector will be designated at the pre-drill conference, and is to be given an approved copy of all maps, permits and conditions of approval before the start of construction. The BLM will also designate a representative for the project at the preconstruction conference.
- 2. The operator shall designate a representative(s) who shall have the authority to act upon and to implement instructions from the BLM. The operator's representative shall be available for communication with the BLM within a reasonable time when construction or other surface disturbing activities are underway.
- 3. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the operator, or any person working on his behalf, on public land is to be immediately reported to the Price BLM Office. The operator will suspend all operations in the immediate area of such discovery until written authorization to

proceed is issued by the Price BLM Office. An evaluation of the discovery will be made by the BLM to determine appropriate actions to prevent the loss of significant cultural or scientific values. The operator is responsible for the cost of evaluation of any site found during construction. The BLM will determine what mitigation is necessary.

- 4. During project construction, surface disturbance and vehicle travel shall be limited to the approved location and access routes. Any additional area needed must be approved by the Price BLM Office prior to use.
- 5. The operator must provide a trash cage for the collection and containment of all trash. The trash shall be disposed in an authorized landfill. The location and access roads shall be kept litter free.
- 6. Vegetation removal necessitated by construction shall be confined to the limits of actual construction. Removed vegetation will be stockpiled for use in reclamation or removed from the construction site at the direction of the BLM.
- 7. Prior to surface disturbance, topsoil is to be separately removed and segregated from other material. Topsoil depth will be decided onsite by BLM. If the topsoil is less than 6 inches, a 6-inch layer that includes the A horizon and the unconsolidated material immediately below the A horizon shall be removed and the mixture segregated and redistributed as the surface soil layer.

Generally topsoil shall be stored within the pad site or adjacent to access roads. The company in consultation with BLM shall determine stockpile locations and dimensions at the onsite. If the topsoil stockpiles will not be redistributed for a period in excess of one (1) year, the stockpiles are to be seeded with seed mixture SM-2 (attached).

### ROAD and PIPELINE CONSTRUCTION

- 8. Operator shall provide an inspector under the direction of a registered professional engineer (PE) at all times during road construction. A PE shall certify (statement with PE stamp) that the road was constructed to the required Bureau of Land Management (BLM) road standards.
- 9. Road construction or routine maintenance activities are to be performed during periods when the soil can adequately support construction equipment. If such equipment creates ruts more than 6 inches deep, the soil is deemed too wet to adequately support construction equipment.

- 10. The operator is responsible for maintenance of all roads authorized through the lease or a right-of-way. Construction and maintenance shall comply with Class II or III Road Standards as described in BLM Manual Section 9113 and the Moab District Road Standards, except as modified by BLM. Maintenance may include but is not limited to grading, applying gravel, snow removal, ditch cleaning, headcut restoration/prevention.
- 11. Topsoil from access roads and pipelines is to be wind rowed along the uphill side of the road or stored in an approved manner. When the road and pipeline is rehabilitated, this soil will then be used as a top coating for the seed bed.
- 12. Erosion-control structures such as water bars, diversion channels, and terraces will be constructed to divert water and reduce soil erosion on the disturbed area. Road ditch turnouts shall be equipped with energy dissipators as needed to avoid erosion. Where roads interrupt overland sheet-flow and convert this runoff to channel flow, ditch turnouts shall be designed to reconvert channel flow to sheet flow. Rock energy dissipators and gravel dispersion fans may be used, or any other design which would accomplish the desired reconversion of flow regime. As necessary cut banks, road drainages, and road crossings shall be armored or otherwise engineered to prevent headcutting.

#### PAD CONSTRUCTION

- 13. During the construction of the drill pad, suitable topsoil material is to be stripped and conserved in a stockpile on the pad. If stockpiles are to remain for more than a year, they shall be seeded with the seed mixture in appendix SM-2, attached.
- 14. Generally, drill pads are to be designed to prevent overland flow of water from entering or leaving the site. The pad is to be sloped to drain spills and water into the reserve pit. The drill pad shall be designed to disperse diverted overland flow and to regulate flow velocity so as to prevent or minimize erosion. Well pad diversion outlets shall be equipped with rock energy brakes and gravel-bedded dispersion fans.

#### REHABILITATION PROCEDURES

#### Site Preparation

15. The entire roadbed should be obliterated and brought back to the approximate original contour. Drainage control is to be reestablished as necessary. All areas affected by road construction are to be recontoured to blend in with the existing topography. All berms are to be removed unless determined to be beneficial by

BLM. In recontouring the disturbed areas, care should be taken to not disturb additional vegetation.

#### Seedbed Preparation

- 16. An adequate seedbed should be prepared for all sites to be seeded. Areas to be revegetated should be chiselled or disked to a depth of at least 12 inches unless restrained by bedrock.
- 17. Ripping of fill materials should be completed by a bulldozer equipped with single or a twin set of ripper shanks. Ripping should be done on 4-foot centers to a depth of 12 inches. The process should be repeated until the compacted area is loose and friable, then shall be followed by final grading. Seedbed preparation will be considered complete when the soil surface is completely roughened and the number of rocks (if present) on the site is sufficent to cause the site to match the surrounding terrain.
- 18. After final grading, the stockpiled topsoil shall be spread evenly across the disturbed area.

#### **Fertilization**

- 19. Commercial fertilizer with a formula of 16-16-8 is to be applied at a rate of 200 pounds per acre to the site. The rate may be adjusted depending on soil.
- 20. Fertilizer is to be applied not more than 48 hours before seeding, and shall be cultivated into the upper 3 inches of soil.
- 21. Fertilizer is to be broadcast over the soil using hand-operated "cyclone-type" seeders or rotary broadcast equipment attached to construction or revegetation machinery as appropriate to slope. All equipment should be equipped with a metering device. Fertilizer application is to take place before the final seeding preparation treatment. Fertilizer broadcasting operations should not be conducted when wind velocities would interfere with even distribution of the material.

#### Mulching

22. When it is time to reclaim this location, the Price BLM Office will determine whether it will be necessary to use mulch in the reclamation process. The type of mulch should meet the following requirements: Wood cellulose fiber shall be natural or cooked, shall disperse readily in water, and shall be nontoxic. Mulch shall be thermally produced and air dried. The homogeneous slurry or mixture shall be capable of application with power spray equipment. A colored dye that

is noninjurious to plant growth may be used when specified. Wood cellulose fiber is to be packaged in new, labeled containers. A minimum application of 1500 pounds per acre shall be applied. A suitable tackifier shall be applied with the mulch at a rate of 60 to 80 pounds per acre.

An alternative method of mulching on small sites would be the application of straw or hay mulch at a rate of 2000 pounds per acre. Hay or straw shall be certified weed free. Following the application of straw or hay, crimping shall occur to ensure retention.

#### Reseeding

- 23. All disturbed areas are to be seeded with the seed mixture required by the BLM. The seed mixture(s) shall be planted in the fall of the year (Sept-Nov), in the amounts specified in pounds of pure live seed (PLS)/acre. There shall be no noxious weed seed in the seed mixture. Seed will be tested and the viability testing of seed shall be done in accordance with State law(s) and within 12 months prior to planting. Commercial seed will be either certified or registered seed. The seed mixture container shall be tagged in accordance with State law(s) and available for inspection by the BLM. Seed is to be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture shall be evenly and uniformly planted over the disturbed area. (Smaller/heavier seeds tend to drop to the bottom of the drill and are planted first. Appropriate measures should be taken to ensure this does not occur.) Where drilling is not possible, seed is to be broadcast and the area raked or chained to cover the seed. Woody species with seeds that are too large for the drill will be broadcast. When broadcasting the seed, the pounds per acre noted below are to be increased by 50 percent. Reseeding may be required if a satisfactory stand is not established to the surface rights owner's specifications. Evaluation of the seeding's success will not be made before completion of the second growing season after the vegetation becomes established. The Price BLM Office is to be notified a minimum of seven days before seeding a project.
- 24. The disturbed areas for the road and pipeline must be seeded in the fall of the year, immediately after the topsoil is replaced. The prescribed seed mixture is attached as appendix SM-2.

#### General

25. Prior to the use of insecticides, herbicides, fungicides, rodenticides and other similar substances, the operator must obtain from BLM, approval of a written plan. The plan must describe the type and quantity of material to be used, the pest to be controlled, the method of application, the location for storage and disposal of containers, and other information that BLM may require. A pesticide may be used

only in accordance with its registered uses and within other agency limitations. Pesticides must not be permanently stored on public lands.

#### SM-1

#### **Green Strip Areas**

The following seed mixture will be planted along service road borrow ditches, around the edge of drill pads with a production well, and surrounding other production and maintenance facilities. The purpose for this seeding is to provide a "green strip" buffer to minimize fire hazards and prevent invasion and establishment of noxious weeds in areas that will receive continued disturbance for the life of these project areas.

Common Plant Name	Scientific Name	Pounds per acre/ PLS*
Forage kochia	Kochia prostrata	2
Wyoming big sagebrush	Artemisia tridentata wyomingensis	1
	var. Gordon Creek	
Douglas low rabbitbrush	Chiysothamnus viscidiflorus	1
Yellow sweetclover	Melilotus officinalis	1
Small burnet	Sanguisorba minor	1
Bottlebrush squirreltail	Elymus elymoides	1
Intermediate wheatgrass	Thinopyrum intermedium	1
	Total	8

#### **SM-2**

NOTES:

#### Sagebrush/Grass Areas

Whitestem rabbitbrush

Wyoming big sagebrush

Fourwing saltbush

BLM SEED MIXTURES FOR THE PRICE COALBED METHANE PROJECT The following seed mixture is for areas that will receive final reclamation. Areas would be planted to protect them from soil erosion and to restore forage production.

Common Name	Scientific Name	Pounds per acre/PLS
Grasses	<u> </u>	
Indian ricegrass	Oryzopsis hymenoides	2
Squirreltail	Elymus elymoides	2
Thickspike wheatgrass	Elymus lanceolatus	1
Crested wheatgrass	Agropyron desertorum	1
Western Wheatgrass	Pascopyrum smithii	1
<u>Forbs</u>		
Lewis flax	<u>Linum perenne lewisii</u>	1
Palmer penstemon	Penstemon palmerii	1
Small burnet	Sanguisorba minor	1
Shrubs		
Forage kochia	Kochia prostrata	1.5

Atriplex canescens

Total

Artemesia tridentata

Chrysothamnus nauseosus albicaulis

1

2

1.5

16

#### C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

<u>Building Location</u>- Contact the Price BLM Office at least 48 hours prior to commencing construction of location.

Spud- The spud date will be reported to the Price BLM Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the Moab BLM Office within 24 hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

<u>Daily Drilling Reports</u>- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the Moab BLM Office on a weekly basis.

Monthly Reports of Operations- In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices - There will be no deviation from the proposed drilling and/or workover program without prior approval. "Sundry Notices and Reports on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR § 3162.3-2. Safe drilling and operating practices must be observed.

<u>Drilling Suspensions</u>- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Authorized Officer. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

<u>Undesirable Events</u>- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Price BLM Area in accordance with requirements of NTL-3A.

<u>Cultural Resources</u>- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Field Office Manager is to be notified.

<u>First Production</u>- Should the well be successfully completed for production, the Moab BLM Office will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Price BLM Office. The Price BLM Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the Moab BLM Office not later than thirty (30) days after completion of the well or after completion of operations being performed, in accordance with 43 CFR § 3162.4-1. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. When requested, samples (cuttings and/or samples) will be submitted to the Moab BLM Office.

Venting/Flaring of Gas - Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 MMcf, whichever first occurs, without the prior, written approval of the authorized officer. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered shut-in until the gas can be captured or approval to continue the venting/flaring as uneconomic is granted. In such case, compensation to the lessor shall be required for that portion of the gas that is vented/flared without approval and which is determined to have been avoidably lost.

<u>Produced Water</u>- Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted to the Moab BLM Office for approval pursuant to Onshore Oil and Gas Order No. 7.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the Moab BLM Office for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

<u>Plugging and Abandonment</u>- If the well is completed as a dry hole, plugging instructions must be obtained from the Moab BLM Office prior to initiating plugging operations.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Moab BLM Office within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR § 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Price BLM Office, or the appropriate surface managing agency.

#### TABLE 1

#### **NOTIFICATIONS**

Notify Don Stephens at the Price BLM Office at (435) 636-3608, or at home (435) 637-7967 for the following:

- 2 days prior to commencement of dirt work, construction and reclamation;
- 1 day prior to spudding;
- 50 feet prior to the surface casing setting depth;
- 3 hours prior to testing BOPE

If the person at the above number cannot be reached, notify the Moab BLM Office at (435) 259-2100. If unsuccessful, contact one of the people listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab BLM Office at (435) 259-2100. If approval is needed after work hours, you may contact the following:

Eric	Jones,	Petroleum	Engineer	Office: Home:	 259-2117 259-2214
Gary	Torres,	Petroleum	Engineer	Office: Home:	587-1524 587-2705



Michael O. Leavitt Governor Lowell P. Braxton Division Director PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

October 19, 1998

River Gas Corporation 1305 South 100 East Price, Utah 84501

Re: USA 26-256 Well, 1274' FSL, 1351' FWL, SE SW, Sec. 26,

T. 15 S., R. 9 E., Carbon County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30445.

Sincerely,

John R. Baza

Associate Director

lwp

Enclosures

cc: Carbon County Assessor

Bureau of Land Management, Moab District Office

Operator:	<del></del>	River Gas Corporation					
Well Name & Nu	mber: _	USA 2	6-256				
API Number: _		43-00	7-3044	5		·	
Lease:		UTU-7	7352				
Location:	SE SW	Sec.	26	т.	15 S.	R.	9 E.

#### Conditions of Approval

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours prior to spudding the well. Contact Jim Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Dan Jarvis at (801) 538-5338 or Robert Krueger at (801) 538-5274.

#### 3. Reporting Requirements


All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval which must be obtained prior to drilling.



School and Institutional
TRUST LANDS ADMINISTRATION

Michael O. Leavitt Governor David T. Terry Director 675 East 500 South, Suite 500 Salt Lake City, Utah 84102-2818 801-538-5100 801-355-0922 (Fax) http://www.trustlands.com



February 18, 1999

Mr. John Baza Associate Director Utah Division of Oil, Gas & Mining 1594 West North Temple, Suite 1210 Salt Lake City, UT 84114-5801

RE: Concurrence with APD approvals

Wells No. 26-256, 26-257, 35-260, 35-261 and 35-262

Dear Mr. Baza:

Pursuant to the Utah Schools and Land Exchange Act of 1998, Pub. L. No. 105-335, 112 Stat. 3139 (the "Exchange"), the School and Institutional Trust Lands Administration (the "Trust Lands Administration") has acquired certain rights, title and interest as to federal lands in Carbon and Emery County referred to as the "Ferron Tract".

It has come to my attention that River Gas Corporation has previously submitted to your office five (5) Applications for Permit to Drill or Deepen (APD's) on lands that were conveyed to the Trust Lands Administration as part of the Exchange, as follows:

- 1) USA 26-256 Well 43-007-30445 1274' FSL, 19=351' FWL, SE/4SW/4, Sec. 26, T15S, R9E, Carbon County, Utah API identification number 43-007-30445 Federal Lease Number UTU 77352 Trust Lands Administration re-serialize Lease Number ML 48235
- 2) USA 26-257 Well 43-007-30444
  1263' FSL, 1368' FEL, SW/4SE/4, Sec. 26, T15S, R9E, Carbon County, Utah API identification number 43-007-30444
  Federal Lease Number UTU 73003
  Trust Lands Administration re-serialized Lease Number ML 48222

Mr. John Baza Division of Oil, Gas and Mining February 18, 1999 Page Two

- 3) USA 35-260 Well 43-007-30447 814' FNL, 1900' FEL, NW/4NE/4, Sec. 35, T15S, R9E, Carbon County, Utah API identification number 43-007-30447 Federal Lease Number UTU 65297 Trust Lands Administration re-serialized Lease Number ML 48197
- 4) USA 35-261 Well 43-007-30442
  615 'FNL, 818' FWL, NW/4NW/4, Sec. 35, T15S, R9E, Carbon County, Utah
  API identification number 43-007-30442
  Federal Lease Number UTU 65297
  Trust Lands Administration re-serialized Lease Number ML 48197
- 5) USA 35-262 Well 43-007-30443 1657 'FSL, 1850' FWL, NE/4SW/4, Sec. 35, T15S, R9E, Carbon County, Utah API identification number 43-007-30443 Federal Lease Number UTU 65297 Trust Lands Administration re-serialized Lease Number ML 48197

Our records indicate that the APD's for these wells were approved your office and by the Bureau of Land Management prior to the Exchange, but the wells have not been drilled yet. The Trust Lands Administration has reviewed the APD's together with the attached Conditions of Approval. This letter will confirm our concurrence with the approval of the APD's as submitted.

Sincerely,

James D. Cooper Assistant Director

cc: Randy Allen, RGC
Don Hamilton, RGC
Ed Bonner, TLA



# DIVISION OF OIL, GAS AND MINING

#### SPUDDING INFORMATION

Name of Company:	RIVER GAS CORPORATION	N
Well Name:	USA 26-256	
Api No. 43-007-30445	Lease Type:FE	DERAL
Secton 26 Township 15	S Range 09E County	CARBON
Drilling ContractorPENSE	BROTHERS DRILLING	RIG # 11
SPUDDED:		
Date02/27/99		
Time		
How_DRY SP	UD	
Drilling will commence		
Reported by CAL HU	RTT	
Telephone #1-435-63	37-8876	
Date 3/2/00	Signed: CHD	

#### STATE OF UTAH

DIVISION OF OIL, GAS AND N	MINING			
<b>2.</b> ,,	5. Lease Designation and Serial Number:			
	ML-48222			
SUNDRY NOTICES AND REPORTS	ON WELLS  6. If Indian, Allottee or Tribe Name:			
	<u>N/A</u>			
Do not use this form for proposals to drill new wells, deepen existing wells, or to reente	er plugged and abandoned wells.			
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for s				
1. Type of Well: OIL GAS X OTHER:	8. Well Name and Number:			
1. Type of Well. OIL II ON O II OIL II.	Utah 26-256			
2. Name of Operator:	9. API Well Number:			
River Gas Corporation	43-007-30445			
3. Address and Telephone Number:	10. Field or Pool, or Wildcat:			
1305 South 100 East, Price, UT 84501	(435)637-8876 Drunkards Wash			
4. Location of Well				
Footages: 1274 'FSL, 1351' FWL	County: CARBON			
QQ, Sec., T., R., M.: SE/4, SW/4, Sec.26, T15S, R09E, SLB&M State: UTAH				
	NATURE OF NOTICE, REPORT, OR OTHER DATA			
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)			
·				
☐ Abandon ☐ New Construction	☐ Abandon * ☐ New Construction			
□ Repair Casing □ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing			
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Reperforate			
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection ☐ Vent or Flare			
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off			
☐ Multiple Completion ☐ Water Shut-Off	Other Weekly Report			
☐ Other				
	Date of work completion			
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.			
40 DECORPE PROPOSED OF COMPLETED OPERATIONS (See that the all a stiff and the life	and six a patient date. If well is directionally drilled six a subsurface leastions and managing and true			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

See Attached.

CONFIDENTIAL

ORIGINAL

	$\wedge$		/		_
13.  Name & Signature:	(Jawn	JU	Uson	Title: Administrative Asst.	Date: <u>3/5/99</u>
(This space for state use	e only)	//			

#### DAILY WELL REPORT

River Gas Corporation Utah 26-256 1274' FSL, 1351' FWL SE/4, SW/4, Sec.26,T15S,R09E CARBON COUNTY, UTAH SURVEYED ELEVATION:6007' API# 43-007-30445 DRILLING CONTRACTOR: Pense Bros. Rig#11

PAGE 1

#### DRILLING

Day 1. 2/28/99. Current Depth: 890'. Present Operations: Drilling. Drilled in 24 hrs: 890'. Total rotating hrs: 7-1/2 hours. Drilled from 0' to 22' with 15" hammer bit#1. Drilled from 22' to 310' with 11" hammer bit#2. Drilled from 310' to present with 7-7/8" hammer bit #3. Move on location and rig up. Nipple up. **Spud at 10:30am** 2/27/99. Start drilling conductor hole. 11:00-11:30am set 24'-10" of 12-3/4" conductor pipe. 11:30-1:00pm Nipple up and start drilling 11" surface hole. 1:00-4:00pm Drilling surface 310' at 4:00pm. 4:00-5:00pm TOOH and run 295.2' of 8-5/8" surface pipe. 5:00-6:00pm RU Dowell and cement surface pipe. Rig down Dowell. 6:00-10:30 WOC. Break loose and nipple up BOP. Test BOP. Hook up lines and TIH. Start drilling 7-7/8" hole at 3:45pm. 4:00-7:00pm Drilling 890' at 7:00pm.

Day 2. 3/1/99. Current Depth: 2590'. Present Operations: Moving Rig. Drilled in 24 hrs: 1700'. Total rotating hrs: 20-1/2 hours. Drilled from 310' to 2590' with 7-7/8" hammer bit#3. 7:00-8:00am Drilling 7-7/8" hole 1040' at 8:00am. 8:00-11:00am Drilling 1520' at 11:00am. 11:00-3:00 Drilling 2090' at 3:00pm. 3:00-7:00pm Drilling 2420' at 6:45. 7:00-8:30 **TD at 2590' at 8:25pm 2/28/99.** Circulate hole clean. TOOH. Rig up loggers. Log well. Rig down logger. Rig down and move off location.

Day 3. 3/2/99. Move rig on location and rig up. Unload casing. Remove protectors and tally. Make up float shoe and start in hole with shoe and 58 joints. Tag fill on 59<sup>th</sup> joint at 2535'. Rig up Dowell. Circulate casing to bottom. Land casing at 2558.45'. Do cement job. Rig down Dowell and shut down for the night.

#### **COMPLETION**

3/3/99. Change rams in BOP. Nipple up to run tubing. TIH with 4-3/4" nom. casing scraper and 85 joints tubing. Tag at 2553' (5' fill). TOOH laying tubing down on trailer. Rig down and move off well.

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

# MONTHLY OIL AND GAS PRODUCTION REPORT


OPERATOR NAME AND ADDRESS	5						
DENNIS PLOWMAN			יט	TAH ACC	OUNT NUMBER	: N1605	
RIVER GAS CORPORATION	N		RI	EPORT P	ERIOD (MONTI	I/YEAR):	9 / 1999
511 ENERGY CENTER BI	ממי						3 / 1333
NORTHPORT, AL 35473			AA	MENDED :	REPORT [ ]	Highlight Ch	anges)
WELL NAME	Producing	Well	Well	Days		Production Vo	olumes
API Number Entity Location	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	WATER (BBL)
4300730444 11256 15S 09E 26	W FRSD		GW		(fr. 474-73003)		
4300730445 11256 155 09E 26	USL35 V FRSD		GW		(fr. WTU-77352)	)	
4300730447 11256 15S 09E 35	W FRSD		GW		(fr. uTu 65297)		
USA 20-287 4300730448 11256 15S 10E 20	FRSD		GW				
4300730449 11256 155 09E 09 W	1-48205 FRSD		GW		(fr. 674-69451)		
. 15-176					· · · · · · · · · · · · · · · · · · ·		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
45 00730450 11256 14S 09E 15	FRSD		GW				
USA 20-288 4300730451 11256 15S 10E 20	FRSD		GW				
USA 30-289 4300730452 11256 15S 10E 30	FRSD		GW				
USA 30-290	TROD					· · · · · · · · · · · · · · · · · · ·	
4300730453 11256 15S 10E 30	FRSD		GW				
UTAH 34-259 4300730456 11256 15S 09E 34	FRSD		GW				
UTAH 27-268 4300730457 11256 15S 09E 27	FRSD		GW				
UTAH 27-269 4300730458 11256 15S 09E 27	FRSD		GW				
HELPER & ASSOC 18-236 4300730459 11256 15S 09E 18	FRSD		GW				
				TOTALS			
COMMENTS :				[			
			<u></u>		······································		
a creby certify that this report is true and complete	to the best of r	ny knowled <sub>i</sub>	ge.	Da	te:		
Name and Signature:				Te	lephone Numi	ber:	



1305 South 100 East Price, Utah 84501-9637 (435) 637-8876 (435) 637-8924

# RGC

To:	Lisha Cordova	From:	Don H	lom: Itan
Fax:	1-801- 359-3940	Pages:	2	
Phone:		Date:	3- 2	- 99
Re: //	odoted Land Swap Lease	s CC:		
Urgent	•		Please Reply	Please Recycle



From the Desk of
Don S. Hamilton -
Permit Specialist

# FEDERAL LEASES INVOLVED IN THE TRANSFER FROM FED, TO STATE


UTU#16172 - NEW ML#48174 - RGO L#UT001-095 UTU#49631 - NEW ML#48177 - RGC L#UT001-007FO UTU#49931 - NEW ML#48178 - RGC L#UT001-026FO UTU#50846 - NEW ML#48179 - RGC L#UT001-030FO UTU#50941 - NEW ML#48180 - RGC L#UT001-039FO UTU#51584 - NEW ML#48181 - RGC L#UT001-135FO UTU#53872 - NEW ML#48182 - RGC L#UT001-135FO

UTU#60925 - NEW ML#48185 - RGC L#UT001-062AFO - 40.00 ACRES TRANSFERRED UTU#60925 - NO NEW ML# - RGC L#UT001-062FO - 40.00 ACRES REMAIN

UTU#81154 - NEW ML#48186 - RGC L#UT001-071AFO - 640.00 AGRES TRANSFERRED UTU#81154 - NO NEW ML# - RGC L#UT001-071FO - 4189.08 ACRES REMAIN

UTU#61155 - NEW ML#48187 - RGC L#UT001-070AFO - 632.58 ACRES TRANSFERRED UTU#81155 - NO NEW ML# - RGC L#UT001-070FO - 1739.64 ACRES REMAIN

UTU#81158 - NEW ML#48188 - RGC L#UT001-073FO UTU#62623 - NEW ML#48189 - RGC L#UT01-0108FO UTU#65298 - NEW ML#48189 - RGC L#UT01-0124FO UTU#65297 - NEW ML#48197 - RGC L#UT01-0125FO UTU#85301 - NEW ML#48198 - RGC L#UT01-0128FQ UTU#65946 - NEW ML#48200 - RGC L#UT01-0133FO UTU#68543 - NEW ML#48203 - RGC L#UT001-0022 UTU#69450 - NEW ML#48204 - RGC L#UT001-0028 UTU#69451 - NEW ML#48205 - RGC L#UT001-070 UTU#69452 - NEW ML#48206 - RGC L#UT001-0029 UTU#89453 - NEW ML#48207 - RGC L#UT001-0030 UTU#69454 - NEW ML#48208 - RGC L#UT001-071 UTU#72005 - NEW ML#48236 - RGC L#UT001-0230 UTU#72351 - NEW ML#48213 - RGC L#UT001-036 UTU#72378 - NEW ML#48215 - RGC L#UT001-041 UTU#72820 - NEW ML#48217 - RGC L#UT001-077 UTU#72624 - NEW ML#46219 - RGC L#UT001-076 UTU#72625 - NEW ML#48220 - RGC L#UT001-079 UTU#73003 - NEW ML#48222 - RGC L#UTD01-093 UTU#73657 - NEW ML#48225 - RGC L#UT001-0201 UTU#73876 - NEW ML#48227 - RGC L#UT001-0152 UTU#75017 - NEW ML#48231 - RGC L#UT01-0124AFO UTU#76333 - NEW ML#48233 - RGC L#UT001-0032A UTU#77350 - NEW ML#48234 - RGC L#UT01-0125AFQ UTU#77352 - NEW ML#48235 - RGC L#UT001-093A





#### RIVER GAS CORPORATION

UTAH OPERATIONS 1305 South 100 East Price, Utah 84501 Bus. (435) 637-8876 FAX (435) 637-8924

November 9, 1999

STATE OF UTAH Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, Utah 84114-5801

ATTN: Lisha Cordova

RE: AMENDMENTS TO WELL NAMES AND LEASES

helle Galetto

Enclosed you will find your Monthly Oil & Gas Production Report with the Well Name and Lease changes. In looking over your spreadsheet I found several that haven't been changed over to reflect the legal standing, in accordance with the land swap.

At this time, I would like to request that these changes be put into effect as soon as you and your staff can make them. Thank you for bringing this matter to our attention. If there should be further questions, please feel free to contact our office at the number provided.

Sincerely,

Rochelle Crabtree

Administrative Assistant - Production

NOV 1 2 1999

DIV. OF OIL, GAS & MINING

STATE OF UTAH DIVISION OF OIL, GAS AND MINING ENTITY ACTION FORM - FORM 6

OPERATOR	River Gas Corporation
ADDRESS	1305 South 100 East
	Price UT 84501

OPERATOR ACCT. NO	1605

Administrative Assistant

Phone No. (435) 637-8876

Title

3/5/99

Date

ACTION	CURRENT	NEW	API NUMBER	WELL NAME			WELL I	OCATIO	N	SPUD DATE	EFFECTIVE
CODE		ENTITY NO.			QQ	SC	TP	RG	COUNTY		DATE
B	99999		43-007-30445	Utah 26-256	SE/SW	26	15S	09E	Carbon	2/27/99	
WELL 1 (	COMMENTS:	990408	entity add	ed; (Drunkards wash W Fir	"A-C	") KD	R	C	ONFIDENT	ria:	
	-								OM INCIAL	IAL	
B	99999	11256	43-007-30444	Utah 26-257	SW/SE	26	15S	09E	Carbon	3/1/99	
WELL 2 (	COMMENTS:	990408	entity add	ed Commitands wash wheer a	A-C	)KDF	_		CONFI	DENTIAL	
									FORD		
	99999	11256	1	Utah 17-101	SE/SW	26	15S	19		<u>\$/3/99</u>	
WELL 3 (	COMMENTS:	990408.	entity add	ed; (Drunkards wash u/fer"	A-C"	) FBR	<del>-</del>		MAR 1 0 1	1999	***
										CO	NFIDENTI
								<del>  DIV.</del>	OF OIL, GAS	& MINING	
WELL 4	COMMENTS:	<u> </u>			_				•	<u> </u>	
		Ţ			1			<u> </u>			
WELL 5	COMMENTS:		<u> </u>	<u> </u>			L	<u> </u>	l		L
				OONE	ר היי	r: a ı				,	
				CONFI	<u>UEN </u>	IAL			$\overline{}$		
		nstructions on new entity for r	back of form) new well (single well o	nly)	•				b M111	nUVV	Mam

ORIGINAL

NOTE: Use COMMENT section to explain why each Action Code was selected.

D - Re-assign well from one existing entity to a new entity

C - Re-assign well from one existing entity to another existing entity

B - Add new well to existing entity (group or unit well)

E - Other (explain in comments section)

STATE OF UTAH

Vent or Flare

Water Shut-Off

#### STATE OF UTAH

CONFIDENTIAL

□ Water Shut-Off

DIVISION OF OIL, GAS AND MINI	NC		
DIVIDION OF OIL, GAS AND WINN	ING	5. Lease Designation and Serial Number:	
		ML-48222	
SUNDRY NOTICES AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:	
		N/A	
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plug	ged and abandoned wells.	7. Unit Agreement Name:	
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such p	roposals.	Drunkards Wash UTU-67921X	
1. Type of Well: OIL GAS XI OTHER:		Well Name and Number:	
		Utah 26-256	
2. Name of Operator:		9. API Well Number:	
River Gas Corporation		43-007-30445	
3. Address and Telephone Number:		10. Field or Pool, or Wildcat:	
1305 South 100 East, Price, UT 84501 (43:	5)637-8876	Drunkards Wash	
4. Location of Well			
Footages: 1274 'FSL, 1351' FWL		County: CARBON	
QQ, Sec., T., R., M.: SE/4, SW/4, Sec.26, T15S, R09E, SLB&M		State: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, R	REPORT, OR OTHER DATA	
NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)	_
☐ Abandon ☐ New Construction	☐ Abandon *	□ New Construction	
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing	☐ Pull or Alter Casing	
☐ Change of Plans ☐ Recomplete	☐ Change of Plans	□ Reperforate	
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection	□ Vent or Flare	

Fracture Treat or Acidize

Date of work completion

Weekly Report

See Attached.

Other\_


Fracture Treat or Acidize

Approximate date work will start

Multiple Completion

**ORIGINAL** 

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.



CONFIDENTIAL

		<u>/</u>			
13.					
		lillana			
Name & Signature:	Man Al	(WAY)	Title:	Administrative Asst.	Date: <u>4/16/99</u>
<del></del>	- //				

<sup>12.</sup> DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

#### DAILY WELL REPORT

River Gas Corporation
Utah 26-256
1274' FSL, 1351' FWL
SE/4, SW/4, Sec.26,T15S,R09E
CARBON COUNTY, UTAH
SURVEYED ELEVATION:6007'
API# 43-007-30445
DRILLING CONTRACTOR: Pense Bros. Rig#11

#### PAGE 2

-9 . ... -

4/10/99. Rig up Halliburton and Bond log. Perforate and frac three zones. Zone 1. 2315'-18',2324'-28',2330'-44',2340'-44', 300gallons 15% Acid, 33,181 gallons fluid, 35,000#16/30 sand. Zone 2. 2244'-48',2270'-73',2284'-87',2292'-94', 300gallons 15% Acid, 34,689 gallons fluid, 90,000#16/30 sand. Zone 3. 2203'-20', 250gallons 15% Acid, 34,833 gallons fluid, 121,400#16/30 sand. Extra Cost to heat tanks:

4/10/99. Move rig in. Rig up rig, pump and tank. Spot tubing trailer and tally. Trip in hole with catch tool. Tag sand at 2226'. Wash to plug at 2236'. Pull plug. Trip out. Laid down plug. Trip in hole. Tag sand at 2286'. Wash to plug at 2306'. Pull plug. Trip out. Laid down plug. Trip in hole with notch collar. Tag sand at 2510'. Wash to TD at 2557.59'. Circulated clean. Trip out. Made up mud anchor and perf sub 4' 2-7/8" and seating nipple. Trip in hole with 77 joints 2-7/8" tubing and mud anchor. Total of 78 joints. ND BOP and made up tubing head. RU rod tools. Start in hole with pump and rods. Closed well in.

4/11/99. Finished in hole with pump and rods. Spaced out pump. Rig down rig, pump and tank. Moved rig off.
77 joints to seating nipple 1- joint mud anchor 4' 2-7/8" perf sub
Total joints 78
55x3/4" rods
41x7/8" rods
1-1/2"x22' polish rod
1- 2-1/2"x22"x16' RWAC pump H/F
1- 2'x7/8 sub

APR 26	1999		TE OF UTAH VIL, GAS AND	MINING	-			DESIGNATION A	AND SERIAL NO.	
OF OH GA	S. & MUTING	OP PECO	MPLETION	DEDORT /	ND L	<u> </u>			OR TRIBE NAME	
la TYPE OF WELL:	OIL	GAS	<del></del>	NLP OINT A	AND L	-	N/A			
b. TYPE OF COMPLETION	WE	ELL WELL	DRY	Other	M 672 4 4			GREEMENT NA		
NEW WELL X		EP- PLUG BACK	DIFF. RESVR.	LINH	I-NI	ΙΔΙ		cards Wash	UTU-679213	
2. NAME OF OPERATOR					<b></b>	1116			•	
2. NAME OF OPERATOR	DIVED C	A C CODDOD A	TION				Utah			
3. ADDRESS OF OPERATO		AS CORPORA	TION				$ _{26-2}$	56		
	1305 Sou	th 100 East. Pric	ce, UT 84501 (	(435) 637-887	6			AND POOL, OR	WILDCAT	
4. LOCATION OF WELL (	Report	11 100 2450, 111		<u></u>		locatio	n Drun	nkards Was	sh	
clearly and in accordance w		VΙ.	•	370 683			11. SEC., T	., R., M., OR BL	OCK AND SURVEY	
At surface 1274' FSL & 1351' FWL 509 863-E								SE/RAREA, Sec 26, T15S, R09E,		
At top prod. interval	reported below		14. API NO.	DATE ISS	UED		SLB&M		13. STATE	
			43-007-304		0/19/98		Carbon		Utah	
15. DATE SPUDDED	16. DATE T.D. REAC		E COMPL. (Ready to product		, ,	, RT, GR, ET	C.)		EV. CASINGHEAD	
2/27/99 20. TOTAL DEPTH, MD &	2/28/9	99 4/1 UG BACK T.D., MD & T	4/99 (Plug & Abd.	GR 6007  MULTIPLE COMPL.,		23. INTER	WAIS	N/A		
2590'		2557.59°	HO'	W MANY N/A		DRILL		to TD	N/A	
24. PRODUCING INTERV	AL(S), OF THIS COMPLE	ETIONTOP, BOTTOM,	NAME (MD OR TVD)			J.			5. WAS DIRECTION	
Ferron: Upper:	2203'-2220' Mi	iddle: 2244'-229	94' Lower: 231	5'-2344'				ľ	SURVEY MADE	
26. TYPE ELECTRIC AND	OTHER LOGS RUN				27. WAS WE	LL CORED TEM TEST			tomic analysis): (***): (****): e reverse side)	
CBL,GR,Dual	Induction, Comp	1 Dan Comn			I DRILL S					
'7X	*	b. Den., Comp.	Neut., Caliper	3-2-99 ORD (Report all strik			120	•	,	
28.  CASING SIZE	WEIGHT, LB /FT.	DEPTH SET (MD)	Neut., Caliper  CASING RECO	DRD (Report all strin	igs set in well		};	CC	NEIDENILL	
CASING SIZE	WEIGHT, LB/FT.	DEPTH SET (MD)	CASING RECO		igs set in well	")	};	CC	NEIDENTIA PERIOD	
CASING SIZE 12-3/4"	WEIGHT, LB./FT.	дертн set (мд) 24.10°	CASING RECO	ORD (Report all strin	gs set in well	) MENT RECO	)RD	60	NEIDENTIA PERIOD EXPIRED	
12-3/4" 8-5/8"	PE 24# K-55	24.10° 295.2°	CASING RECO	ORD (Report all strin	ce CE CE CE	) MENT RECO	)RD	60	NEIDENTIA PERIOD	
CASING SIZE 12-3/4"	WEIGHT, LB./FT.	дертн set (мд) 24.10°	CASING RECO	ORD (Report all strin 110 sks Class 245 sks 50/5	ce G + 2%	) MENT RECO	)RD	60	NEIDENTI/ PERIOD EXPIRED	
12-3/4" 8-5/8" 5-1/2"	WEIGHT, LB./FT.  PE  24# K-55  17# N-80  LINER	24.10° 295.2° 2257.59° RECORD	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 F	ce G + 2%  GO Poz  RFC  30.	) MENT RECO S-1 +1/4	#/sk Flows	CC al ON.	NEIDENTI/ PERIOD EXPIRED 5-14-00	
12-3/4" 8-5/8" 5-1/2"	PE 24# K-55 17# N-80	24.10° 295.2° 2257.59°	CASING RECO	ORD (Report all strin 110 sks Class 245 sks 50/5	ggs set in well  CE  S G + 2%  O Poz	) MENT RECO S-1 +1/4	PRD #/sk Flows	CC al ON.	NEIDENTI/ PERIOD EXPIRED 5-14-00	
12-3/4" 8-5/8" 5-1/2"	WEIGHT, LB./FT.  PE  24# K-55  17# N-80  LINER	24.10° 295.2° 2257.59° RECORD	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 F	ce G + 2%  GO Poz  RFC  30.	S-1 +1/4	#/sk Flows	CC al ON RECORD T (MD)	NEIDENTIA PERIOD EXPIRED 5-14-00	
12-3/4" 8-5/8" 5-1/2" 29.	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER J	24.10° 295.2° 2257.59° RECORD BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 F	CE  S G + 2%  10 Poz  REC  30.  SIZE  2-7/1	S-1 +1/4:	#/sk Flowson TUBING DEPTH SE 2437.	al ON. RECORD T (MD)	PERIOD EXPIRED 5-14-00	
12-3/4" 8-5/8" 5-1/2"  29. SIZE	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER TOP (MD)	24.10° 295.2° 2257.59°  RECORD  BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 E SCREEN (MD)	CE  S G + 2%  10 Poz  RFC  30.  SIZE  2-7/5	S-1 +1/4:	TUBING DEPTH SE 2437.	al ON RECORD T (MD)  96'	PACKER SET (MD	
CASING SIZE  12-3/4"  8-5/8"  5-1/2"  29.  SIZE  31. PERFORATION RECO  2315'-18',2324'-	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER J	24.10° 295.2° 2257.59°  RECORD  BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 E SCREEN (MD)  32. DEPTH INTERVA	CE  S G + 2%  10 Poz  RFC  30.  SIZE  2-7/3  ACII  AL (MD)	S-1 +1/4:	TUBING DEPTH SE  AMOUNT AND K	al ON RECORD T (MD)  96'  MENT SQUEEZI	PERIOD EXPIRED S-14-00  PACKER SET (MD	
CASING SIZE  12-3/4"  8-5/8"  5-1/2"  29.  SIZE  31. PERFORATION RECO  2315'-18',2324'-	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234	24.10° 295.2° 2257.59°  RECORD  BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 F SCREEN (MD)  32. DEPTH INTERV. 2315'-2344	CE  S G + 2%  O Poz  RFC  30.  SIZE  2-7/5  ACII  AL (MD)	S-1 +1/4:  S-1 +1/4:  300gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K	al ON- RECORD T (MD) 96' IENT SQUEEZI GIND OF MATEI	PACKER SET (MD	
12-3/4" 8-5/8" 5-1/2" 29. SIZE 31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'-	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234	24.10° 295.2° 2257.59°  RECORD  BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 E SCREEN (MD) 32. DEPTH INTERV. 2315'-2344 2244'-2294	SG + 2% SG + 2	S-1 +1/4:  8"  D, SHOT, FF  300gal 15 300gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND R % acid,33,18 % acid,34,68	al ON.  RECORD T (MD)  96'  ENT SQUEEZI  GIND OF MATEI  1 gal gel, 35,0  9 gal gel, 90,0	PACKER SET (MD  PACKER SET (MD  00#16/30sand  00#16/30sand	
12-3/4" 8-5/8" 5-1/2" 29. SIZE 31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'-	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234	24.10° 295.2° 2257.59°  RECORD  BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 F SCREEN (MD)  32. DEPTH INTERV. 2315'-2344	SG + 2% SG + 2	S-1 +1/4:  8"  D, SHOT, FF  300gal 15 300gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND R % acid,33,18 % acid,34,68	al ON.  RECORD T (MD)  96'  ENT SQUEEZI  GIND OF MATEI  1 gal gel, 35,0  9 gal gel, 90,0	PACKER SET (MD	
12-3/4" 8-5/8" 5-1/2" 29. SIZE 31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'-	WEIGHT, LB./FT.  PE 24# K-55 17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234	24.10° 295.2° 2257.59°  RECORD  BOTTOM (MD)	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 E SCREEN (MD) 32. DEPTH INTERV. 2315'-2344 2244'-2294	SG + 2% SG + 2	S-1 +1/4:  8"  D, SHOT, FF  300gal 15 300gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND R % acid,33,18 % acid,34,68	al ON.  RECORD T (MD)  96'  ENT SQUEEZI  GIND OF MATEI  1 gal gel, 35,0  9 gal gel, 90,0	PACKER SET (MD  PACKER SET (MD  00#16/30sand  00#16/30sand	
12-3/4" 8-5/8" 5-1/2" 29. SIZE 31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'- 2203'-20'	WEIGHT, LB./FT.  PE  24# K-55  17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234 73',2284'-87',229	DEPTH SET (MD)  24.10' 295.2' 2257.59'  RECORD  BOTTOM (MD)  ber) 0'-44' 12'-94'	CASING RECO HOLE SIZE  15" 11" 7-7/8"	110 sks Class 245 sks 50/5 70 sks 10-1 F SCREEN (MD)  32. DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220 PRODUCTION	SG + 2% SG + 2	S-1 +1/4:  8"  D, SHOT, FF  300gal 15 300gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND R % acid,33,18 % acid,34,68	al ON.  RECORD T (MD)  96'  SIND OF MATEI 1gal gel, 35,0 9gal gel, 90,0  Real gel, 121,4	PACKER SET (MD  PACKER SET (MD  DOWN 16/30 Sand	
12-3/4" 8-5/8" 5-1/2" 29. SIZE 31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'- 2203'-20'  33. DATE FIRST PRODUCTIO 4/14/99	WEIGHT, LB./FT.  PE  24# K-55  17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234 73',2284'-87',229	DEPTH SET (MD)  24.10' 295.2' 2257.59'  RECORD  BOTTOM (MD)  ber) 0'-44' 12'-94'	CASING RECO HOLE SIZE  15" 11" 7-7/8"  SACKS CEMENT	110 sks Class 245 sks 50/5 70 sks 10-1 F SCREEN (MD)  32. DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220  PRODUCTION type of pump)	CE  S G + 2%  O POZ  RFC  30.  SIZE  2-7/5  ACII  AL (MD)  , ,	S-1 +1/4:  S-1 +1/4:  8"  O, SHOT, FF  300gal 15  250gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K % acid,33,18 % acid,34,68	al ON PRECORD TO MATERIAL SAME AND OF MATERIAL SAME	PACKER SET (MD PACKER	
29. SIZE  31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'- 2203'-20'  33. DATE FIRST PRODUCTIO 4/14/99 DATE OF TEST	PE 24# K-55 17# N-80  LINER (Interval, size and num 28',2330'-34',234 73',2284'-87',229  PRODUCTION 2-1/2"x2 HOURS TESTED	DEPTH SET (MD)  24.10' 295.2' 2257.59'  RECORD  BOTTOM (MD)  ber) 0'-44' 12'-94'	CASING RECO HOLE SIZE  15" 11" 7-7/8"  SACKS CEMENT	110 sks Class 245 sks 50/5 70 sks 10-1 F SCREEN (MD)  32. DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220  PRODUCTION Type of pump) OILBBL.	CE  S G + 2%  O POZ  RFC  30.  SIZE  2-7/5  ACII  AL (MD)  , ,	S-1 +1/4:  8"  D, SHOT, FF  300gal 15 300gal 15	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K % acid,33,18 % acid,34,68 %acid,34,68	al ON PRECORD TO MATERIAL SAME AND OF MATERIAL SAME	PACKER SET (MD  PACKER SET (MD  DOWN 16/30 Sand	
12-3/4" 8-5/8" 5-1/2" 29. SIZE  31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'- 2203'-20'  33.  DATE FIRST PRODUCTION 4/14/99 DATE OF TEST 4/14/99 FLOW. TUBING PRESS.	WEIGHT, LB./FT.  PE  24# K-55  17# N-80  LINER  TOP (MD)  RD (Interval, size and num 28',2330'-34',234 73',2284'-87',229	DEPTH SET (MD)  24.10' 295.2' 2257.59'  RECORD  BOTTOM (MD)  ber) 0'-44' 12'-94'  N METHOD (Flowing, go, "X16'RWAC CHOKE SIZE CALCULATED	CASING RECO HOLE SIZE  15" 11" 7-7/8"  SACKS CEMENT  Is lift, pumping—size and to produce the product of the pr	110 sks Class 245 sks 50/5 70 sks 10-1 F SCREEN (MD)  32. DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220  PRODUCTION type of pump)	S G + 2%  S G + 2%  S G + 2%  S G + 2%  ACII  AL (MD)  , , , GAS-	S-1 +1/4:  8"  300gal 15  300gal 15 MCF.	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K % acid,33,18 % acid,34,68 %acid,34,68	al ON BECORD T (MD) 96' IENT SQUEEZI (IND OF MATE) 1gal gel, 35,0 9gal gel, 90,0 Real gel, 121,4 WELL ST Shut-in) ProducBBL. 285	PERIOD EXPIRED 5-14-00  PACKER SET (MD  PACKER SET (MD  00#16/30sand  00#16/30sand  ATUS (Producing or ing GAS-OIL RATIO	
2315'-18',2324'-2244'-48',2270'-2203'-20'  231. PERFORATION RECO 2315'-18',2324'-2244'-48',2270'-2203'-20'  33.  DATE FIRST PRODUCTION ALTO ALTO ALTO ALTO ALTO ALTO ALTO ALTO	PE  24# K-55  17# N-80  LINER D  TOP (MD)  RD (Interval, size and num 28',2330'-34',234 73',2284'-87',229  PRODUCTION 2-1/2"x2  HOURS TESTED 24  CASING PRESSURE 30	DEPTH SET (MD)  24.10' 295.2' 2257.59'  RECORD  BOTTOM (MD)  ber) -0'-44' '2'-94'  N METHOD (Flowing, ge "x16'RWAC CHOKE SIZE	CASING RECO HOLE SIZE  15" 11" 7-7/8"  SACKS CEMENT  Is lift, pumping—size and to the size and to the size are all to the size and to the size are all the size are a	110 sks Class 245 sks 50/5 70 sks 10-1 F  SCREEN (MD)  32.  DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220  PRODUCTION Ope of pump)  OILBBL. n/a	S G + 2%  S G + 2%  S G + 2%  S G + 2%  ACII  AL (MD)  , , , GAS-	S-1 +1/4:  8"  300gal 15  300gal 15 MCF.	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K % acid,33,18 % acid,34,68 %acid,34,833  WATER-	al ON.  RECORD T (MD)  96'  SIND OF MATEI  1gal gel, 35,0  9gal gel, 90,0  Real gel, 121,4  WELL ST  Shut-in) Produc  -BBL.  285	PACKER SET (ME  PACKER SET (ME	
12-3/4" 8-5/8" 5-1/2" 29. SIZE  31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'- 2203'-20'  33.  DATE FIRST PRODUCTION 4/14/99 DATE OF TEST 4/14/99 FLOW. TUBING PRESS.	PE  24# K-55  17# N-80  LINER D  TOP (MD)  RD (Interval, size and num 28',2330'-34',234' 73',2284'-87',229  PRODUCTION 2-1/2"x2  HOURS TESTED 24  CASING PRESSURE 30  (Sold,used for fuel,	DEPTH SET (MD)  24.10'  295.2'  2257.59'  RECORD  BOTTOM (MD)  ber)  0'-44' '2'-94'  N METHOD (Flowing, ge'''x16'RWAC  CHOKE SIZE  CALCULATED  24-HOUR RATE	CASING RECO HOLE SIZE  15" 11" 7-7/8"  SACKS CEMENT  SACKS CEMENT  PROD'N. FOR TEST PERIOD OILBBL.	32. DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220 PRODUCTION Upe of pump) OILBBL. n/a GASMCF	GAS-	S-1 +1/4:  8"  300gal 15  300gal 15 MCF.	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K % acid,33,18 % acid,34,68 %acid,34,832 WATERBBL.	al ON.  RECORD T (MD)  96'  SIND OF MATEI  1gal gel, 35,0  9gal gel, 90,0  Real gel, 121,4  WELL ST  Shut-in) Produc  -BBL.  285	PACKER SET (MD PACKER	
29. SIZE  31. PERFORATION RECO 2315'-18',2324'- 2244'-48',2270'- 2203'-20'  33. DATE FIRST PRODUCTION (1/4/99) DATE OF TEST 4/14/99 FLOW. TUBING PRESS. 30 34. DISPOSITION OF GAS	PE  24# K-55  17# N-80  LINER D  TOP (MD)  RD (Interval, size and num 28',2330'-34',234 73',2284'-87',229  PRODUCTION 2-1/2"x2  HOURS TESTED 24  CASING PRESSURE 30  (Sold,used for fuel, Sold	DEPTH SET (MD)  24.10'  295.2'  2257.59'  RECORD  BOTTOM (MD)  ber)  0'-44' '2'-94'  N METHOD (Flowing, ge'''x16'RWAC  CHOKE SIZE  CALCULATED  24-HOUR RATE	CASING RECO HOLE SIZE  15" 11" 7-7/8"  SACKS CEMENT  SACKS CEMENT  PROD'N. FOR TEST PERIOD OILBBL.	110 sks Class 245 sks 50/5 70 sks 10-1 F  SCREEN (MD)  32.  DEPTH INTERV. 2315'-2344 2244'-2294 2203'-2220  PRODUCTION Ope of pump)  OILBBL. n/a	GAS-	S-1 +1/4:  8"  300gal 15  300gal 15 MCF.	TUBING DEPTH SE  2437.  ACTURE, CEM AMOUNT AND K % acid,33,18 % acid,34,68 %acid,34,832 WATERBBL.	al ON.  RECORD T (MD)  96'  SIND OF MATEI  1gal gel, 35,0  9gal gel, 90,0  Real gel, 121,4  WELL ST  Shut-in) Produc  -BBL.  285	PACKER SET (MD EXPIRED S-14-00 EXPIRED	

WELL NUMBER: Utah 26-256

43-007-30945 Sec. 26, T. 15-5 R. GE

		Ferron	FORMATION	3/ SUMMARY OF POR drill-stem, tests, incl recoveries):
		2186'	ТОР	uding depth intervi
		2210'	воттом	now all important zone al tested, cushion use
	Coal Interval: 2210'-2342'	Coals and sandstones	DESCRIPTION, CONTENTS, ETC.	SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):
Tununk Shale	Blue Gate Bentonite Marker	NAME		38. GE
2456'	2045'	MEAS.DEPTH TRUE VERT. DEPTH	TOP	GEOLOGIC MARKERS

DIV. OF OIL, GAS & MINING







DIVISION OF OIL, GAS AND MINI	NG -
DIVIDION OF OIL, OAD AND MINI	Lease Designation and Serial Number:
	ML-48222
SUNDRY NOTICES AND REPORTS ON	WELLS 6. If Indian, Allottee or Tribe Name:
	N/A
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plug	ged and abandoned wells. 7. Unit Agreement Name:
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such p	D141111411 41 41 41 41 41 41 41 41 41 41
1. Type of Well: OIL GAS XI OTHER:	Well Name and Number:
,	<u>Utah 26-256</u>
2. Name of Operator:	9. API Well Number;
River Gas Corporation	43-007-30445
3. Address and Telephone Number:	10. Field or Pool, or Wildcat:
1305 South 100 East, Price, UT 84501 (43	5)637-8876 Drunkards Wash
4. Location of Well	Austra GARRONA
Footages: 1274 ' FSL, 1351' FWL	County: CARBON
QQ, Sec., T., R., M.: SE/4, SW/4, Sec.26, T15S, R09E, SLB&M	State: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, REPORT, OR OTHER DATA
NOTICE OF INTENT	SUBSEQUENT REPORT
(Submit in Duplicate)	(Submit Original Form Only)
□ Abandon □ New Construction	☐ Abandon * ☐ New Construction
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Reperforate
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection ☐ Vent or Flare
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off	other Online Notice
□ Other	Data of conductors and of the
A construct of the construction that	Date of work completion
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	Com RETION ON THE STATE OF THE ENGINEER

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The Utah 26-256 was placed online and showed first production 4/14/99.

CONFIDENTIAL

**ORIGINAL** 

	E	$\mathbb{C}$			$\mathbb{V}$		
	1	\PR	2	9	199	9	
DJV.	OF	011	(	A	S &	MI	NING

13.

Name & Signature:

Title: Administrative Asst.


Date: 4/22/99

# STATE OF UTAH

ORIGINAL CONFIDENTIAL

5. Lease Designation and Serial Number:  ML - 48222 6. If Indian, Aliottee or Tribe Name:  N/A 7. Unit Agreement Name:  UTU67921X Drunkards Wash 8. Well Name and Number:  Utah 26-256 9. API Well Number:  43-007-30445 10. Field or Pool, or Wildcat:  Drunkards Wash  County: Carbon County				
6. If Indian, Allottee or Tribe Name:  N/A 7. Unit Agreement Name:  UTU67921X Drunkards Wash 8. Well Name and Number:  Utah 26-256 9. API Well Number:  43-007-30445 10. Field or Pool, or Wildcat:  Drunkards Wash				
N/A 7. Unit Agreement Name:  UTU67921X Drunkards Wash 8. Well Name and Number:  Utah 26-256 9. API Well Number:  43-007-30445 10. Field or Pool, or Wildcat:  Drunkards Wash				
7. Unit Agreement Name:  UTU67921X Drunkards Wash 8. Well Name and Number:  Utah 26-256 9. API Well Number:  43-007-30445 10. Field or Pool, or Wildcat:  Drunkards Wash				
Bils.  UTU67921X Drunkards Wash  8. Well Name and Number:  Utah 26-256  9. API Well Number:  43-007-30445  10. Field or Pool, or Wildcat:  Drunkards Wash				
8. Well Name and Number:  Utah 26-256 9. API Well Number:  43-007-30445 10. Field or Pool, or Wildcat:  Drunkards Wash				
Utah 26-256 9. API Well Number: 43-007-30445 10. Field or Pool, or Wildcat: Drunkards Wash				
9. API Well Number:  43-007-30445  10. Field or Pool, or Wildcat:  Drunkards Wash				
43-007-30445 10. Field or Pool, or Wildcat: Drunkards Wash				
10. Field or Pool, or Wildcat:  Drunkards Wash				
Drunkards Wash				
county: Carbon County				
County: Carbon County				
State: Utah				
TICE, REPORT, OR OTHER DATA				
SUBSEQUENT REPORT (Submit Original Form Only)				
□New Construction				
g □Puil or Alter Casing				
lans				
jection				
at or Acidize □Water Shut-Off				
hemical/Flush Treatment				
ompletion09/29/99				
ln ea				

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 9/29/99.



13.		$\cap$		
	$(\sqrt{2})^{2}$	[/0]		
Nome & Signature:	Rochelle Crabtree per Jerry H. Dietz	Melatta	Title: Field Supervisor/Engineer	Date: 10/07/99
Name & Signature.	Rochene Crabitee per Seriyeta. Dietz			

FORM 9	STATE OF UTAH		
	DIVISION OF OIL, GAS AND MIN	ING	5 Lease Designation and Serial Number:
SUNDRY N	OTICES AND REPORTS ON	I WELLS	6 If Indian, Allottee or Tribe Name:
	ls to drill new wells, deepen existing wells, or to reenter plu TION FOR PERMIT TO DRILL OR DEEPEN form for such		7 Unit Agreement Name:
Type of Well: OIL GAS	OTHER:		8 Well Name and Number:
Name of Operator:	er Gas Corporation		9 API Well Number:
Address and elephone Number: 6825 S. 5300	W. P.O. Box 851 Price, Utah 84501 (	435) 613-9777	10 Field or Pool, or Wildcat:
Location of Well Footages: QQ, Sec , T , R , M : SLB & N			county: Carbon County State: Utah
1 CHECK APPRO	PRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, F	REPORT, OR OTHER DATA
	ICE OF INTENT (brill in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)
Approximate date work will star  2 DESCRIBE PROPOSED OR COMPLE retrical depths for all markers and zones por  Please be advised that  Company 9780 Mt. P	TED OPERATIONS (Clearly state all pertinent details, and	completion or recomple  • Must be accompanied by a ce  give pertinent dates If well is direction  ownership of the attached	Cidize

Name & Signature: Cal Hurtt Cal Mouth

Title: Development Manager

Date: 12/19/00

# **Drunkards Wash Total Well Count**

(Through 2000 Drilling Season)

Well #	API#	Location	Section	Tship	Range
Utah 25-09-01	4300730130	1683 FSL, 877 FEL	25	148	09E
Utah 36-01-02	4300730178	600 FNL, 620 FEL	36	14S	09E
Utah 31-03-03	4300730143	740 FNL, 1780 FWL	31	148	10E
Utah 36-03-04	4300730142	822 FNL, 2176 FWL	36	14S	09E
Utah 36-09-05	4300730144	2050 FSL, 700 FEL	36	14S	09E
Utah 25-07-06	4300730156	2599 FNL, 1902 FEL	25	14S	09E
Utah 25-11-07	4300730157	1718 FSL, 2210 FWL	25	14S	09E
Utah 26-16-08	4300730181	800 FSL, 750 FEL	26	14S	09E
Utah 35-01-09	4300730180	650 FNL, 850 FEL	35	14S	09E
Utah 31-12-10	4300730183	1995 FSL, 745 FWL	31	14S	10E
Utah 36-11-11	4300730184	1837 FSL, 1903 FWL	36	14S	09E
Utah 19-14-12	4300730182	860 FSL, 1780 FWL	19	14S	10E
Utah 30-05-13	4300730179	1493 FNL, 728 FVVL	30	148	10E
Utah 30-13-14	4300730185	612 FSL, 670 FWL	30	14S	10E
Utah 24-01-15	4300730191	1320 FNL, 1320 FEL	24	14S	09E
Utah 24-03-16	4300730187	1310 FNL, 1525 FWL	24	14S	09E
Utah 24-12-17	4300730208	1320 FSL, 1320 FWL	24	14S	09E
Utah 24-16-18	4300730192	482 FSL, 940 FEL	24	14S	09E
Utah 23-02-19	4300730207	963 FNL, 1470 FEL	23	14S	09E
Utah 23-04-20	4300730194	1291 FNL, 1257 FWL	23	14S	09E
Utah 23-14-21	4300730200	739 FSL, 1716 FWL	23	14S	09E
Utah 23-09-22	4300730201	1320 FSL, 1320 FEL	23	14S	09E
Utah 26-01-23	4300730205	1320 FNL, 1320 FEL	26	14S	09E
Utah 26-06-24	4300730202	1480 FNL, 2000 FWL	26	14S	09E
Utah 26-11-25	4300730204	1500 FSL, 1500 FWL	26	14S	09E
Utah 35-03-26	4300730203	1085 FNL, 1805 FWL	35	14S	09E
Utah 35-10-27	4300730197	2567 FSL, 2151 FEL	35	14S	09E
Utah 35-13-28	4300730198	1236 FSL, 1152 FWL	35	14S	09E
Utah 27-08-29	4300730193	2134 FNL, 753 FEL	27	14S	09E
Utah 27-09-30	4300730186	1359 FSL, 707 FEL	27	14S	09E
Utah 34-01-31	4300730196	464 FNL, 540 FEL	34	14S	09E
Utah 34-09-32	4300730195	1938 FSL, 435 FEL	34	14S	09E
Utah 25-04-33	4300730206	920 FNL, 780 FWL	25	14S	09E
Prettyman 10-15-34	4300730211	842 FSL, 1419 FEL	10	148	09E
Utah 10-36	4300730302	1213 FNL, 469 FEL	10	15S	09E
Utah 12-15-37	4300730210	1158 FSL, 1494 FEL	12	15S	09E
Utah 06-38	4300730217	899 FNL, 1730 FEL	6	15S	10E
Utah 06-39	4300730218	934 FNL, 819 FWL	6	15S	10E
Utah 06-40	4300730219	2180 FSL, 1780 FEL	6	15S	10E
Utah 06-41	4300730254	2124 FSL, 1054 FWL	6	15S	10E
Utah 01-42	4300730220	860 FNL, 1780 FEL	1	15S	09E
Utah 01-43	4300730221	808 FNL, 1451 FWL	1	15S	09E
Utah 01-44	4300730222	860 FSL, 1320 FWL	1	158	09E
Utah 01-45	4300730223	1219 FSL, 1318 FEL	1	15S	09E
Utah 02-46	4300730224	860 FNL, 860 FEL	2	15\$	09E

Utah 02-47	4300730225	1318 FNL, 1791 FWL	2	15S	09E
Utah 02-48	4300730226	1780 FSL, 860 FEL	2	15S	09E
Utah 02-49	4300730227	1320 FSL, 2080 FWL	2	15S	09E
Utah 11-50	4300730228	860 FNL, 860 FEL	11	15S	09E
Utah 11-51	4300730229	1000 FNL, 1900 FWL	11	15S	09E
Utah 11-52	4300730230	1400 FSL, 1100 FEL	11	15S	09E
Utah 11-53	4300730231	1780 FSL, 1800 FWL	11	15S	09E
Utah 12-54	4300730232	875 FNL, 1015 FWL	12	15S	09E
Utah 12-55	4300730233	1500 FNL, 1320 FEL	12	15S	09E
Utah 12-56	4300730234	1500 FSL, 1320 FWL	12	15S	09E
Utah 07-57	4300730235	1421 FNL, 1003 FWL	7	15\$	10E
Utah 07-58	4300730236	1495 FNL, 2006 FEL	7	15S	10E
Utah 07-59	4300730237	1400 FSL, 2100 FEL	7	15S	10E
Utah 07-60	4300730238	954 FSL, 1256 FWL	7	15S	10E
Utah 14-61	4300730239	1386 FNL, 931 FEL	14	15S	09E
Utah 14-62	4300730240	980 FNL, 1385 FWL	14	15S	09E
Utah 14-63	4300730241	1780 FSL, 1320 FEL	14	15S	09E
Utah 14-64	4300730242	907 FSL, 1392 FWL	14	15S	09E
Utah 13-65	4300730243	1320 FNL, 1200 FEL	13	15S	09E
Utah 13-66	4300730244	1276 FNL, 1301 FWL	13	15S	09E
Utah 13-67	4300730245	1800 FSL, 1500 FEL	13	15S	09E
Utah 13-68	4300730246	1320 FSL, 1320 FWL	13	15S	09E
Utah 18-69	4300730427	1320 FNL, 1320 FWL	18	15S	10E
Utah 18-70	4300730248	1110 FNL, 2127 FEL	18	15S	10E
Utah 18-71	4300730249	1764 FSL, 1767 FEL	18	15S	10E
Utah 18-72	4300730250	2100 FSL, 1100 FWL	18	15S	10E
USA 19-73	4300730392	1664 FNL, 1412 FEL	19	15S	10E
Utah 14-74	4300730529	1365 FSL, 1988 FEL	14	148	09E
Utah 14-75	4300730263	1036 FSL, 1622 FWL	14	148	09E
Utah 22-76	4300730251	1320 FNL, 660 FEL	22	148	09E
Utah 19-77	4300730252	1780 FSL, 660 FWL	19	148	10E
Williams 30-78	4300730279	460 FNL, 660 FEL	30	148	10E
Utah 31-79	4300730253	1780 FSL, 1780 FEL	31	14S	10E
Utah 24-80	4300730255	590 FNL, 1612 FWL	24	15S	09E
Utah 24-81	4300730256	1067 FNL, 1361 FEL	24	15S	09E
Utah 32-82	4300730257	600 FNL, 2028 FEL	32	15S	09E
Utah 21-83	4300730259	1780 FNL, 460 FWL	21	15S	10E
H&A 07-84	4300730258	1780 FSL, 1780 FWL	7	15S	09E
Utah 27-85	4300730261	2173 FNL, 676 FWL	27	148	08E
Utah 24-86	4300730267	1788 FSL, 1677 FEL	24	15S	09E
Utah 24-87	4300730375	1780 FSL, 1333 FWL	24	15S	09E
USA 15-88	4300730264	872 FSL, 875 FEL	15	148	09E
Telonis 22-89	4300730266	836 FNL, 1766 FWL	22	14S	09E
Telonis 21-90	4300730328	1272 FNL, 1188 FEL	21	148	09E
USA 13-91	4300730568	1443 FSL, 1017 FWL	13	148	09E
Utah 13-92	4300730439	624 FSL, 899 FEL	13	148	09E
Utah 18-93	4300730587	556 FSL, 673 FWL	18	148	10E
Utah 05-95	4300730269	640 FNL, 580 FWL	5	15S	10E
Utah 05-94	4300730270	1520 FSL, 1320 FWL	5	15S	10E

Utah 05-96	4300730271	1780 FSL, 2180 FEL	5	15S	10E
Utah 08-97	4300730272	1495 FNL, 1273 FEL	8	15S	10E
Utah 08-98X	4300730285	1341 FNL, 1319 FWL	8	15S	10E
Utah 08-99	4300730274	1500 FSL, 1120 FWL	8	15S	10E
Utah 08-100	4300730275	1500 FSL, 1400 FEL	8	15S	10E
Utah 17-101	4300730416	460 FNL, 2180 FEL	17	15S	10E
Utah 17-102	4300730277	810 FNL, 910 FWL	17	15S	10E
Utah 17-103	4300730278	1520 FSL, 1120 FWL	17	15\$	10E
Powell 19-104	4300730282	1327 FNL, 1458 FWL	19	15S	10E
Powell 19-105	4300730283	1239 FSL, 1325 FWL	19	15S	10E
Utah 23-106	4300730280	150 FNL, 1400 FEL	23	15S	09E
Utah 23-107	4300730281	1252 FNL, 1255 FWL	23	15S	09E
Birkinshaw 19-108	4300730284	1305 FNL, 1192 FEL	19	15S	09E
Utah 36-109	4300730268	1800 FNL, 1800 FWL	36	15S	09E
Utah 16-110	4301530250	860 FSL, 2000 FWL	16	16S	09E
Fausett 09-111	4300730428	2215 FSL, 354 FEL	9	148	09E
Fausett 10-112	4300730415	1590 FSL, 1342 FWL	10	14S	09E
Giacoletto 11-113	4300730335	500 FSL, 2070 FWL	11	14S	09E
Prettyman 11-114	4300730340	471 FSL, 1828 FEL	11	14S	09E
Giacoletto 13-120	4300730407	1200 FNL, 1219 FWL	13	14S	09E
Giacoletto 14-121	4300730345	1200 FNL, 1060 FEL	14	14S	09E
USA 14-122	4300730404	1500 FNL, 1039 FWL	14	14S	09E
Utah 30-125	4300730262	630 FSL, 1627 FEL	30	14S	10E
Utah 31-126	4300730305	1954 FNL, 1291 FEL	31	14S	10E
Robertson 32-127	4300730374	646 FNL, 349 FWL	32	14S	10E
Utah 04-129	4300730309	700 FWL, 1850 FSL	4	15S	10E
Utah 04-130	4300730519	860 FSL, 2150 FEL	4	15S	10E
Sampinos 16-131	4300730610	1201 FNL, 1016 FWL	16	15S	10E
Jensen 16-132	4300730588	1206 FSL, 1240 FWL	16	15S	10E
LDS 17-133	4300730296	1500 FSL, 1700 FEL	17	15S	10E
Utah 25-134	4300730399	745 FNL, 1482 FWL	25	15S	09E
Utah 36-135	4300730341	850 FNL, 850 FEL	36	15S	09E
Utah 36-136	4300730343	465 FSL, 660 FWL	36	15S	09E
Utah 36-137	4300730342	2180 FSL, 1800 FEL	36	15S	09E
Utah 02-138	4301530288	638 FNL, 1865 FEL	2	16S	09E
Utah 02-139	4301530289	1890 FNL, 850 FWL	2	16S	09E
Utah 02-140	4301530290	850 FSL, 1800 FWL	2	16S	09E
Utah 02-141	4301530291	1800 FSL, 1950 FEL	2	168	09E
Telonis 15-142	4300730319	1320 FSL, 860 FWL	15	148	09E
Fausett 16-143	4300730320	1320 FNL, 1320 FEL	16	14S	09E
Fausett 16-144	4300730321	1800 FNL, 860 FWL	16	14S	09E
Telonis 16-145	4300730322	1320 FSL, 1320 FWL	16	14S	09E
Paar 16-146	4300730323	843 FSL, 2157 FEL	16	148	09E
Christiansen 17-147	4300730324	860 FSL, 1800 FWL	17	148	09E
Christiansen 17-148	4300730325	1250 FSL, 1100 FEL	17	148	09E
Birkinshaw 18-149	4300730326	500 FSL, 500 FEL	18	148	09E
Telonis 19-150	4300730300	751 FNL, 1840 FWL	19	148	09E
Telonis 19-151	4300730299	860 FSL, 2000 FWL	19	148	09E
Telonis 20-152	4300730327	1320 FNL, 1900 FEL	20	148	09E

Tolonio 21 152	4300730329	860 FNL, 1800 FWL	21	148	09E
Telonis 21-153	4300730329	800 FNL, 1500 FWL	29	148	09E
Telonis 29-154	4300730330	1800 FSL, 1250 FWL	29	148	09E
Telonis 29-155	4300730331	910 FNL, 868 FEL	30	148	09E
Telonis 30-156	4300730301	1800 FSL, 580 FEL	30	148	09E
Telonis 30-157		1038 FNL, 1768 FEL	32	148	09E
Utah 32-158	4300730333	2011 FNL, 1426 FWL	32	148	09E
Utah 32-159	4300730334		32		09E
Utah 32-160	4300730398	1500 FSL, 1780 FWL		14S	
Utah 32-161	4300730336	415 FSL, 1408 FEL	32	148	09E
Utah 36-162	4300730315	2053 FNL, 685 FEL	36	148	08E
Utah 36-163	4300730316	860 FNL, 2100 FWL	36	148	08E
Utah 36-164	4300730317	1070 FSL, 2000 FWL	36	148	08E
Utah 36-165	4300730318	1100 FSL, 1500 FEL	36	14S	08E
Utah 02-166	4300730337	1219 FNL, 1738 FEL	2	15S	08E
Utah 02-167	4300730338	660 FNL, 2075 FWL	2	15S	08E
Utah 02-168	4300730339	1800 FSL, 2100 FWL	2	15S	08E
Utah 02-169	4300730308	754 FSL, 1000 FEL	2	15S	08E
Seamons 32-170	4300730291	700 FNL, 500 FWL	32	138	09E
Pinnacle Peak 19-171	4300730117	1320 FSL, 1320 FEL	19	148	09E
Telonis 20-172	4300730107	1980 FSL, 660 FEL	20	148	09E
Powell 30-173	4300730346	1200 FNL, 1200 FWL	30	15\$	10E
Stella-Hamaker 10-174	4300730116	852 FNL, 1971 FWL	10	158	08E
Utah 31-175	4301530317	897 FNL, 1731 FWL	31	168	09E
USA 15-176	4300730450	2588 FNL, 1155 FEL	15	148	09E
USA 09-178	4300730419	428 FSL, 2527 FWL	9	14S	09E
USA 17-180A	4300730622	2563 FNL, 1383 FWL	17	148	09E
USA 18-182	4300730417	1068 FSL, 1972 FWL	18	148	09E
USA 24-183	4300730469	828 FNL, 624 FEL	24	148	08E
Utah 27-187	4300730395	1400 FNL, 1400 FWL	27	148	09E
Utah 27-188	4300730292	477 FSL, 518 FWL	27	148	09E
Utah 28-189	4300730396	1707 FNL, 868 FEL	28	148	09E
Utah 28-190	4300730397	1969 FNL, 1324 FWL	28	148	09E
Utah 28-191	4300730293	693 FSL, 1623 FWL	28	14S	09E
Utah 28-192	4300730294	1407 FNL, 1940 FWL	28	148	09E
Utah 29-193	4300730405	693 FNL, 1029 FEL	29	14S	09E
Utah 29-194	4300730427	951 FSL, 370 FEL	29	14S	09E
Utah 30-195	4300730265	1407 FNL, 1940 FWL	30	148	09E
Utah 30-196	4300730344	1056 FSL, 1984 FWL	30	148	09E
Kakatsidas 31-197	4300730420	619 FNL, 1361 FEL	31	148	09E
Utah 31-198	4300730406	1403 FNL, 1540 FWL	31	148	09E
Utah 31-199	4300730480	1125 FSL, 928 FWL	31	148	09E
Utah 31-200	4300730385	2118 FSL, 549 FEL	31	148	09E
Utah 33-201	4300730386	317 FNL, 1815 FEL	33	14S	09E
Utah 33-202	4300730387	1939 FNL, 1593 FWL	33	14S	09E
Utah 33-203	4300730388	1373 FSL, 1140 FWL	33	148	09E
Utah 33-204	4300730389	2024 FSL, 1525 FEL	33	14S	09E
Utah 05-205	4300730384	1485 FNL, 760 FEL	5	15S	09E
Utah 05-206	4300730390	1300 FNL, 1352 FWL	5	15S	09E
Utah 06-207	4300730391	825 FNL, 928 FEL	6	15S	08E

Utah 01-208	4300730464	1246 FNL, 1831 FEL	1	15S	09E
Utah 01-209	4300730467	2271 FSL, 1251 FEL	1	15S	09E
Utah 34-211	4300730114	1181 FSL, 1005 FWL	34	14S	09E
Utah 03-212	4300730468	1187 FNL, 1761 FEL	3	15S	09E
Utah 03-213	4300730381	1466 FNL, 2041 FWL	3	15S	09E
Utah 03-214	4300730295	813 FSL, 966 FWL	3	15S	09E
Utah 03-215	4300730297	988 FSL, 604 FEL	3	15S	09E
Utah 04-216	4300730382	1610 FNL, 810 FEL	4	15S	09E
Utah 04-217	4300730383	1343 FNL, 1119 FWL	4	15S	09E
Utah 04-218	4300730418	1084 FSL, 509 FEL	4	15S	09E
Utah 10-219	4300730298	805 FNL, 756 FWL	10	15S	09E
Utah 10-220	4300730432	474 FSL, 372 FWL	10	15S	09E
Utah 10-221	4300730303	1602 FSL, 2032 FEL	10	15S	09E
USA 19-222	4300730393	1574 FSL, 1647 FEL	19	15S	10E
Utah 06-223	4300730430	1636 FSL, 1085 FEL	6	15S	09E
Utah 05-225	4300730440	421 FSL, 498 FEL	5	15S	09E
Utah 04-226	4300730408	571 FSL, 2331 FWL	4	15S	09E
Utah 09-227	4300730449	652 FNL, 1331 FEL	9	15S	09E
Utah 09-228	4300730413	1444 FNL, 1520 FWL	9	15S	09E
Utah 09-229	4300730414	1595 FSL, 2051 FWL	9	15S	09E
Utah 08-230	4300730410	2003 FNL, 960 FEL	8	15S	09E
Utah 08-231	4300730411	1321 FNL, 1738 FWL	8	15S	09E
H&A 08-232	4300730412	1135 FSL, 1497 FWL	8	15S	09E
Utah 08-233	4300730488	468 FSL, 2030 FEL	8	15S	09E
Utah 07-234	4300730409	1876 FNL, 875 FEL	7	15S	09E
Utah 07-235	4300730421	2098 FSL, 510 FEL	7	15S	09E
H&A 18-236	4300730459	896 FNL, 1511 FEL	18	15S	09E
Utah 18-237	4300730485	1867 FSL, 1920 FEL	18	15S	09E
Utah 17-238	4300730510	677 FNL, 1321 FEL	17	15S	09E
Utah 17-239	4300730511	1383 FNL, 1576 FWL	17	15S	09E
Utah 17-240	4300730512	1977 FSL, 1394 FWL	17	15S	09E
Utah 17-241	4300730513	1668 FSL, 2222 FEL	17	15S	08E
USA 12-242	4300730482	1738 FNL, 1505 FEL	12	15S	08E
USA 12-243	4300730486	950 FNL, 232 FWL	12	15S	08E
USA 11-244	4300730463	1151 FNL, 1690 FEL	11	15S	08E
USA 11-245	4300730462	1234 FNL, 1743 FWL	11	15S	08E
Utah 01-246	4300730566	1619 FNL, 170 FWL	1	15S	09E
Utah 01-247	4300730465	594 FSL, 266 FWL	1	15S	08E
USA 35-248	4300730582	828 FSL, 1245 FEL	35	15S	09E
USA 30-251	4300730403	1169 FSL, 913 FWL	30	15S	10E
Utah 25-252	4300730400	1937 FNL, 1416 FEL	25	15S	09E
Utah 25-253	4300730401	809 FSL, 899 FWL	25	15S	09E
Utah 25-254	4300730402	1787 FSL, 1954 FEL	25	15S	09E
Utah 26-255	4300730446	1209 FNL, 755 FEL	26	15S	09E
Utah 26-256	4300730445	1274 FSL, 1351 FWL	26	15S	09E
Utah 26-257	4300730444	1263 FSL, 1368 FEL	26	15S	09E
Utah 34-258	4300730552	1198 FNL, 1880 FEL	34	15S	09E
Utah 34-259	4300730456	1662 FSL, 2046 FEL	34	15S	09E
Utah 35-260	4300730447	814 FNL, 1900 FEL	35	158	09E

Utah 35-261	4300730442	615 FNL, 818 FWL	35	15S	09E
Utah 35-262	4300730443	1657 FSL, 1850 FWL	35	158	09E
Utah 35-263	4300730441	1785 FSL, 946 FEL	35	15S	09E
USA 01-264	4301530336	1055 FNL, 441 FWL	1	16S	09E
USA 01-265	4301530337	1739 FSL, 636 FWL	1	16S	09E
Woolstenhulme 05-266	4300730481	1389 FNL, 2179 FEL	5	15S	10E
Utah 26-267	4300730514	1836 FNL, 2130 FWL	26	15S	09E
Utah 27-268	4300730457	1125 FSL, 1682 FWL	26	15S	09E
Utah 27-269	4300730458	1661 FSL, 795 FEL	27	15S	09E
Utah 34-270	4300730347	774 FNL, 756 FWL	34	15S	09E
Utah 34-271	4300730496	1693 FSL, 965 FWL	34	158	09E
Utah 33-272	4300730502	694 FNL, 2034 FEL	33	15S	09E
Utah 33-273	4300730493	1922 FNL, 328 FWL	33	15S	09E
Utah 33-274	4300730494	1098 FSL, 1673 FWL	33	15S	09E
Utah 33-275	4300730495	1401 FSL, 1029 FEL	33	15S	09E
Utah 32-276	4300730483	738 FL, 1318 FWL	32	15S	09E
Utah 32-277	4300730484	1613 FSL, 1931 FEL	32	15S	09E
Utah 05-278	4301530278	1665 FNL, 1923 FEL	5	15S	09E
Utah 04-279	4301530340	1020 FNL, 1757 FEL	4	16S	09E
Utah 04-280	4301530341	2087 FNL, 1627 FWL	4	16S	09E
Utah 04-281	4301530399	999 FSL, 896 FWL	4	16S	09E
Utah 04-282	4301530342	2188 FSL, 911 FEL	4	16S	09E
Utah 03-283	4301530349	461 FNL, 1772 FEL	3	16S	09E
Utah 03-284	4301530346	1218 FNL, 753 FWL	3	16S	09E
Utah 03-285	4301530345	1917 FSL, 546 FWL	3	16S	09E
Utah 03-286	4301530344	1690 FSL, 1958 FEL	3	16S	09E
USA 20-287	4300730448	1395 FNL, 979 FWL	20	15S	10E
USA 20-288	4300730451	1566 FSL, 1125 FWL	20	15S	10E
USA 30-289	4300730452	1184 FNL, 1353 FEL	30	15S	10E
USA 30-290	4300730453	1080 FSL, 1508 FEL	30	14S	10E
USA 11-291	4300730501	2609 FNL, 1994 FEL	11	14S	09E
USA 11-292	4300730500	2483 FNL, 664 FWL	11	148	09E
USA 10-293	4300730498	2011 FNL, 847 FEL	10	14S	09E
USA 10-294	4300730497	1750 FNL, 769 FWL	10	14S	09E
USA 09-295	4300730499	696 FNL, 1198 FEL	9	14S	09E
Fausett 09-296	4300730455	2072 FNL, 798 FWL	9	14S	09E
USA 08-297	4300730491	789 FNL, 958 FEL	8	14S	09E
Ritzakis 08-298	4300730475	798 FNL, 2018 FWL	8	14S	09E
Ritzakis 08-299	4300730479	2187 FSL, 1885 FWL	8	14S	09E
Ritzakis 08-300	4300730476	2485 FSL, 1522 FEL	8	148	09E
USA 04-302	4300730489	1076 FSL, 1860 FWL	4	148	09E
USA 04-303	4300730490	597 FSL, 984 FEL	4	148	09E
Ritzakis 05-304	4300730473	688 FSL, 1888 FWL	5	148	09E
Ritzakis 05-305	4300730474	1104 FSL, 1196 FEL	5	148	09E
	1 -1000100111	1 1011 OL, 1100 I LL	<del></del>	}	
I USA 06-306	4300730492	399 FSI 306 FFI	1 6	1 148	1 095
USA 06-306 Helper 07-307	4300730492 4300730487	399 FSL, 306 FEL 672 FNL 962 FWL	6	14S 15S	09E 09E
Helper 07-307	4300730487	672 FNL, 962 FWL	7	15S	09E

USA 11-314	4301530353	1262 FNL, 1136 FWL	11	16S	09E
USA 10-317	4301530352	1221 FNL, 1104 FEL	10	16S	09E
USA 12-322	4300730576	492 FSL, 495 FWL	10	15S	08E
USA 12-323	4300730577	540 FSL, 784 FEL	12	15S	08E
USA 11-324	4300730575	732 FSL, 1763 FEL	11	15S	08E
USA 14-325	4300730579	890 FNL, 1469 FEL	14	15S	08E
USA 13-326	4300730581	1065 FNL, 1563 FEL	13	15S	08E
USA 13-327	4300730578	1092 FNL, 941 FWL	13	15S	08E
USA 35-328	4300730583	964 FSL, 1999 FWL	35	14S	08E
Utah 09-329	4300730561	884 FSL, 1324 FEL	9	15S	09E
Utah 06-330	4300730562	938 FNL, 1564 FWL	6	15S	09E
Utah 20-333	4300730669	1069 FNL, 1460 FEL	20	15S	09E
Utah 20-334	4300730625	932 FNL, 1655 FWL	20	15S	09E
Utah 20-335	4300730626	2152 FSL, 1716 FWL	20	15S	09E
Utah 19-337	4300730623	926 FNL, 768 FEL	19	15S	09E
Utah 19-338	4300730624	1789 FSL, 1426 FEL	19	15S	09E
Utah 05-343	4301530400	1795 FNL, 1431 FWL	5	16S	09E
Utah 05-344	4301530401	1316 FSL, 1343 FWL	5	16S	09E
Utah 05-345	4301530402	908 FSL, 1449 FEL	5	16S	09E
Utah 08-354	4301530395	1073 FNL, 1914 FEL	8	16S	09E
Utah 08-355	4301530378	1673 FNL, 850 FWL	8	16S	09E
Utah 08-356	4301530379	1701 FSL, 799 FWL	8	16S	09E
Utah 08-357	4301530380	1722 FSL, 1599 FEL	8	16S	09E
Utah 09-358	4301530300	2097 FNL, 1634 FEL	9	16S	09E
Utah 09-359	4301530407	1787 FNL, 871 FWL	9	16S	09E
Utah 09-360	4301530397	1323 FSL, 881 FWL	9	16S	09E
Utah 09-361	4301530408	1564 FSL, 1998 FEL	9	16S	09E
USA 10-362	4301530424	2225 FNL, 494 FWL	10	16S	09E
USA 14-386	4300730634	592 FNL, 2236 FWL	14	15S	08E
USA 24-387	4300730612	1243 FSL, 2306 FWL	10	14S	08E
USA 24-388	4300730613	1177 FSL, 612 FEL	24	14S	08E
Utah 25-389	4300730600	737 FNL, 1976 FEL	25	14S	08E
Utah 25-390	4300730599	1540 FNL, 1354 FWL	25	145	08E
Utah 25-391A	4300730658	1264 FSL, 1573 FWL	25	14S	08E
Utah 25-392	4300730602	2045 FSL, 1718 FEL	25	14S	09E
USA 26-393	4300730614	1666 FNL, 874 FEL	26	14S	08E
USA 26-394	4300730615	856 FSL, 2377 FWL	26	148	08E
USA 26-395	4300730616	1927 FSL, 830 FEL	26	14S	08E
USA 35-396	4300730584	616 FNL, 1896 FEL	35	14S	08E
USA 35-397	4300730585	949 FNL, 1264 FWL	35	14S	08E
USA 20-398	4300730590	1374 FNL, 1387 FEL	20	15S	10E
USA 20-399	4300730591	1445 FSL, 1128 FEL	20	15S	10E
Utah 09-412	4300730580	1102 FSL, 1018 FWL	9	15S	10E
Utah 09-413	4300730605	1007 FNL, 1197 FWL	9	15S	10E
Utah 10-415	4300730003	1090 FNL, 557 FEL	10	16S	08E
USA 14-416	430730646	892 FSL, 1311 FWL	14	15S	08E
USA 14-417	4300730647	1741 FSL, 1054 FEL	14	158	09E
USA 14-417 USA 13-418	4300730645	737 FSL, 793 FEL	13	15S	08E
USA 13-419	4300730631	2617 FSL, 1958 FEL	13	15S	08E
USA 13-418	4000700001	2017 1 OL, 1800 FEL	L 13	1 100	UUE

USA 23-423	4300730611	408 FSL, 924 FEL	23	14S	08E
USA 34-434	4300730621	1342 FSL, 922 FEL	34	148	08E
USA 18-435	4300730619	1868 FNL, 793 FWL	18	148	09E
USA 07-436	4300730630	3121 FNL, 871 FEL	7	14S	09E
USA 03-442	4300730710	899 FNL, 553 FEL	3	15S	08E
USA 24-443	4300730651	1780 FNL, 2247 FEL	24	15S	08E
USA 24-444	4300730648	1338 FNL, 1153 FWL	24	15S	08E
USA 24-446	4300730708	1377 FNL, 2340 FWL	24	14S	08E
USA 13-447	4300730707	2044 FSL, 741 FEL	13	14S	08E
USA 24-448	4300730652	2146 FSL, 2021 FEL	24	15S	08E
Utah 34-456	4300730713	755 FNL, 1377 FEL	34	14S	08E
USA 13-470	4300730706	1741 FNL, 554 FEL	13	14S	08E
Utah 06-483	4300730716	2456 FSL, 988 FWL	6	15S	09E
American Quasar D1	4300730040	999 FSL, 1552 FWL	31	14S	10E
Arcadia-Telonis D2	4300730093	465 FSL, 560 FEL	19	14S	09E
Utah D3	4300730290	1600 FSL, 1530 FEL	18	15S	10E
Utah D4	4300730314	600 FNL, 500 FWL	24	14S	09E
Fausett D5	4300730351	467 FNL, 1461 FWL	16	14S	09E
Drew D6	4300730100	1300 FSL, 830 FWL	34	148	09E
Utah D7	4301530338	1371 FSL, 1530 FEL	2	14S	09E
Utah D8	4300730431	1342 FNL, 350 FWL	12	15S	09E
Utah D9	4300730438	1960 FNL, 1487 FWL	32	14S	09E
RGC D10	4300730520	162 FNL, 1557 FEL	28	15S	09E
USA D11	4301530356	1513 FNL, 2437 FEL	13	16S	09E
Sampinos D14	4300730567	1695 FSL, 2133 FEL	16	15S	10E

LAW OFFICES

## PRUITT, GUSHEE & BACHTELL

SUITE 1850 BENEFICIAL LIFE TOWER
SALT LAKE CITY, UTAH 84111-1495
(801) 531-8446

TELECOPIER (801) 531-8468 E-MAIL: mail@pgblaw.com SENIOR COUNSEL:

ROBERT G PRUITT, JR OLIVER W GUSHEE, JR

OF COUNSEL:

ROBERT G PRUITT, III
BRENT A BOHMAN

January 29, 2001

# HAND DELIVERED

Mr. Jim Thompson Utah Division of Oil, Gas & Mining 1594 W. North Temple Salt Lake City, UT 84116

Re: River Gas/Phillips Merger

Dear Mr. Thompson:

THOMAS W BACHTELL A JOHN DAVIS. III

JOHN W ANDERSON

ANGELA L FRANKLIN

MICHAEL S JOHNSON

JOHN S FLITTON

WILLIAM E WARD

FREDERICK M MACDONALD GEORGE S YOUNG

As you may know, River Gas Corporation ("RGC") merged into Phillips Petroleum Company ("Phillips") effective December 31, 2000 at 11:59 p.m. I have enclosed a Certificate of Articles of Merger issued by the Utah Department of Commerce and, although duplicative, a sundry notice formally evidencing the merger for your records, and a list of all wells, including injection wells, formerly operated by RGC.

Please change the Division's records to reflect the change in operator of these wells from RGC to Phillips. All operational questions should be directed to Phillips at the following address:

Phillips Petroleum Company Attn: Billy Stacy, Operations Manager P.O. Box 3368 Englewood, CO 80155-3368 Telephone No.: (720) 344-4984

Phillips currently has a bond on file with the Division (a copy of which is enclosed for your reference), but I understand an \$80,000 Letter of Credit is in the process of being substituted.

Mr. Jim Thompson January 29, 2001 Page 2

On behalf of Phillips, I thank you for your cooperation. Should you have any further questions or concerns, please do not hesitate to contact me.

Yours very truly,

Frederick M. MacDonald

FMM:cs 2078.16 Enclosures

cc: W. H. Rainbolt Billy Stacy



# **Utah Department of Commerce** Division of Corporations & Commercial Code

160 East 300 South, 2nd Floor, Box 146705 Salt Lake City, UT 84114-6705 Phone: (801) 530-4849

Toll Free: (877) 526-3994 Utah Residents Fax: (801) 530-6438

Web site: http://www.commerce.state.ut.us

Registration Number: 562960-0143

01/12/01

Business Name:

PHILLIPS PETROLEUM COMPANY


Registered Date:

JUNE 14, 1946

# CERTIFICATE OF ARTICLES OF MERGER

THE UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE ("DIVISION") HEREBY **CERTIFIES THAT** 

ARTICLES OF MERGER WERE FILED WITH THIS OFFICE ON DECEMBER 12, 2000 MERGING RIVER GAS CORPORATION, A CORPORATION OF THE STATE OF ALABAMA, INTO PHILLIPS PETROLEUM COMPANY, THE SURVIVING CORPORATION WHICH IS OF THE STATE OF DELAWARE, AS APPEARS OF RECORD IN THE OFFICE OF THE DIVISION.



Pi Campbell Ric Campbell

Acting Division Director of

Corporations and Commercial Code

# 2-12-00P04:02 RCVD

# State of Delaware

PAGE

# Office of the Secretary of State



I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECTED Amount Paid: COPY OF THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"RIVER GAS CORPORATION", A ALABAMA CORPORATION,

WITH AND INTO "PHILLIPS PETROLEUM COMPANY" UNDER THE NAME OF "PHILLIPS PETROLEUM COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE SIXTH DAY OF DECEMBER, A.D. 2000, AT 10 O'CLOCK A.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF OWNERSHIP IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2000, AT 11:59 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.

> State of Utah
> Department of Commerce
> Division of Corporations and Commercial Code I Hereby certify that the foregoing has been flied

and approved on this 12 day on 1220 LO in the office of this Division and hereby issue

this Certificate thereof.



DEC 12 2000

Litels Blv. Of Cosp. & Comm. Code



Edward J. Freel, Secretary of State AUTHENTICATION: 0837738

DATE: 12-07-00

0064324 8100M

001609453

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 10:00 AM 12/06/2000 001609453 - 0064324

## CERTIFICATE OF OWNERSHIP AND MERGER

OF

#### RIVER GAS CORPORATION

(an Alabama corporation)

into

Phillips Petroleum Company

(a Delaware corporation)

It is hereby certified that:

- 1. Phillips Petroleum Company [hereinafter sometimes referred to as the "Corporation"] is a business corporation of the State of Delaware.
- 2. The Corporation is the owner of all of the outstanding shares of each class of stock of River Gas Corporation, which is a business corporation of the State of Alabama.
- 3. The laws of the jurisdiction of organization of River Gas Corporation permit the merger of a business corporation of that jurisdiction with a business corporation of another jurisdiction.
- 4. The Corporation hereby merges River Gas Corporation into the Corporation.
- 5. The following is a copy of the resolutions adopted on November 21, 2000 by the Board of Directors of the Corporation to merge the said River Gas Corporation into the Corporation:
  - "1. Phillips Petroleum Company, which is a business corporation of the State of Delaware and is the owner of all of the outstanding shares of River Gas Corporation, which is a business corporation of the State of Alabama, hereby merges River Gas Corporation into Phillips Petroleum Company pursuant to the provisions of the Alabama Business Corporation Act and pursuant to the

provisions of Section 253 of the General Corporation Law of Delaware.

- "2. The separate existence of River Gas Corporation shall cease at the effective time and date of the merger pursuant to the provisions of the Alabama Business Corporation Act; and Phillips Petroleum Company shall continue its existence as the surviving corporation pursuant to the provisions of Section 253 of the General Corporation Law of Delaware.
- "3. The Articles of Incorporation of Phillips Petroleum Company are not amended in any respect by this Plan of Merger.
- "4. The issued shares of River Gas Corporation shall not be converted or exchanged in any manner, but each said share which is issued immediately prior to the effective time and date of the merger shall be surrendered and extinguished.
- "5. Each share of Phillips Petroleum Company outstanding immediately prior to the effective time and date of the merger is to be an identical outstanding share of Phillips Petroleum Company at the effective time and date of the merger.
- "6. No shares of Phillips Petroleum Company and no shares, securities, or obligations convertible into such shares are to be issued or delivered under this Plan of Merger.
- "7. The Board of Directors and the proper officers of Phillips Petroleum Company are hereby authorized, empowered, and directed to do any and all acts and things, and to make, execute, deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of this Plan of Merger or of the merger herein provided for."
- "This Company approves that the effective time and date of the merger herein provided for in the State of Alabama shall be 11:59 p.m. on December 31, 2000."
- "Any Vice President, the Treasurer, any Assistant Treasurer, the Secretary, any Assistant Secretary, and each of them severally, be and hereby is authorized to make, execute,

שביים שפיין

deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of these resolutions and to do or cause to be done all such acts as are necessary to give effect to the purpose and intent of the approval herein set forth."

6. This Certificate of Ownership and Merger shall be effective at 11:59 p.m. on December 31, 2000.

Executed on November 27, 2000

Phillips Petroleum Company

N. A. Loftis, Assistant Secretary



# Unted States Department of the Interior

## **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3106 UTU-47157 et al (UT-932)

JAN 3 0 2001

#### NOTICE

Phillips Petroleum Company

Attn: W. H. Rainbolt, Rocky Mtn. Region-Land

Box 1967

Houston, TX 77251-1967

Oil and Gas

## Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of River Gas Corporation into Phillips Petroleum Company being the surviving entity.

The oil and gas lease files and rights-of-way files identified on the enclosed exhibit have been noted as to the merger. The exhibit is the list supplied by the representative of the companies, and verified by our computerized records. We have not adjudicated the case files to determine if the entity affected by the merger holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

By recognition of the merger the obligor is automatically changed by operation of law from River Gas Corporation to Phillips Petroleum Company on Letter of Credit No. P-207337 (BLM Bond No. UT0829). A rider to BLM Bond No. ES0048 assuming any and all liabilities of BLM Bond No. UT0829 must be submitted for approval to the Eastern States Office, Attn: Bill Forbes, 7450 Boston Boulevard, Springfield, VA 22153. After the rider is approved, the Letter of Credit will be returned to the financial institution that issued it.

### ROBERT LOPEZ

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure Exhibit of Leases

DMISION CE OIL, GNO / LD III.

cc: Moab Field Office

Vernal Field Office Price Field Office

MMS-Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114

The Chase Manhattan Bank, Attn: Standby Letter of Credit Dept., 4 Chase Metrotech Center, 8th Floor Brooklyn, NY 11245

Teresa Thompson (UT-931)

LaVerne Steah (UT-942)

Pruitt, Gushee & Bachtell, Attn: Frederick M. MacDonald, Suite 1850 Beneficial Life Tower,

Salt Lake City, Utah 84111-1495

BLM, Eastern States Office (Attn: Bill Forbes)

## Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

# ROUTING

11001110	
1. GLH	4-KAS
2. CDW	548170 /
3. JLT	6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective:	12-31-2000
FROM: (Old Operator):	TO: ( New Operator):
RIVER GAS CORPORATION	PHILLIPS PETROLEUM COMPANY
Address: 6825 S. 5300 W. P. O. BOX 851	Address: P. O. BOX 3368
PRICE, UT 84501	ENGLEWOOD, CO 80155-3368
Phone: 1-(435)-613-9777	Phone: 1-(720)-344-4984
Account N1605	Account N1475

CA No.

Unit:

DRUNKARDS WASH

WELL(S)						·····
	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
UTAH 24-80	43-007-30255	11256	24-15S-09E	STATE	GW	P
UTAH 24-81	43-007-30256	11256	24-15S-09E	STATE	GW	P
UTAH 24-86	43-007-30267	11256	24-15S-09E	STATE	GW	P
UTAH 24-87	43-007-30375	11256	24-15S-09E	STATE	GW	P
UTAH 25-134	43-007-30399	11256	25-15S-09E	STATE	GW	P
UTAH 25-252	43-007-30400	11256	25-15S-09E	STATE	GW	P
UTAH 25-253	43-007-30401	11256	25-15S-09E	STATE	GW	P
UTAH 25-254	43-007-30402	11256	25-15S-09E	STATE	GW	P
UTAH 26-255	43-007-30446	11256	26-15S-09E	STATE	GW	P
UTAH 26-256	43-007-30445	11256	26-15S-09E	STATE	GW	P
UTAH 26-257	43-007-30444	11256	26-15S-09E	STATE	GW	P
UTAH 26-267	43-007-30514	11256	26-15S-09E	STATE	GW	P
UTAH 27-268	43-007-30457	11256	27-15S-09E	STATE	GW	P
UTAH 27-269	43-007-30458	11256	27-15S-09E	STATE	GW	P
UTAH 32-276	43-007-30483	11256	32-15S-09E	STATE	GW	P
UTAH 32-277	43-007-30484	11256	32-15S-09E	STATE	GW	P
UTAH 33-272	43-007-30502	11256	33-15S-09E	STATE	GW	P
UTAH 33-273	43-007-30493	11256	33-15S-09E	STATE	GW	P
UTAH 33-274	43-007-30494	11256	33-15S-09E	STATE	GW	P
UTAH 33-275	43-007-30495	11256	33-15S-09E	STATE	GW	Р

## **OPERATOR CHANGES DOCUMENTATION**

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:

01/29/2001

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on:

01/29/2001

3. The new company has been checked through the Department of Commerce, Division of Corporations Database on:

02/15/2001

4.	Is the new operator registered in the State of Utah:	YES	Business Nu	ımber:	562960-0143
5.	If <b>NO</b> , the operator was contacted contacted on:		_		
6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian			the (merg	
7.	Federal and Indian Units: The BLM or BIA has a for wells listed on:	pproved the	successor o	f unit ope	rator
8.	Federal and Indian Communization Agreeme change for all wells listed involved in a CA on:		The BLM o	or the BIA	has approved the operator
9.	Underground Injection Control ("UIC") Progression the enhanced/secondary recovery unit/project for the way				Transfer of Authority to Inject,
D	ATA ENTRY:	· · · · · · · · · · · · · · · · · · ·	···		
1.	Changes entered in the Oil and Gas Database on:	02/28/2001	<del></del>		
2.	Changes have been entered on the Monthly Operator Cha	inge Spread S	heet on:	02/28/200	<u>I</u>
3.	Bond information entered in RBDMS on:	N/A	_		
4.	Fee wells attached to bond in RBDMS on:	N/A	_		
S7	State well(s) covered by Bond No.:	5952 N/A	2189		
FI	EE WELLS - BOND VERIFICATION/LEASE	INTEREST	OWNER I	OTIFIC	CATION:
1.	(R649-3-1) The <b>NEW</b> operator of any fee well(s) listed has	s furnished a bo	ond:	N/A	
	The <b>FORMER</b> operator has requested a release of liability for The Division sent response by letter on:	from their bond N/A	l on:	N/A	_
3.	(R649-2-10) The <b>FORMER</b> operator of the Fee wells has be of their responsibility to notify all interest owners of this characteristics.		and informed b	y a letter fr N/A	om the Division
	LMING: All attachments to this form have been MICROFILMED o	on: 3-16,	-01		
	LING: ORIGINALS/COPIES of all attachments pertaining to each	h individual we	ll have been fi	lled in each	well file on:
CC	DMMENTS:				
_					





		OIL, GAS AND MINI	MC		
	DIVIDION OF	OIL, OAO AND MIN	1110	5. Lease Designation and Serial Nu	ımber:
				ML - 48222	
SU	NDRY NOTICES AN	D REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:	
		J . (2) O . ( ) O . ( )	***************************************	N/A	
Do not use this	form for proposals to drill new wells, deep	en existing wells, or to reenter pluc	goed and abandoned wells.	7. Unit Agreement Name:	
	Use APPLICATION FOR PERMIT TO D			UTU67921X Drunk	cards Wash
1. Type of Well: OIL □ GAS ঐ OTHER:				8. Well Name and Number:	
				Utah 26-256	
2. Name of Operator:	Dhilling Datuslaum	Commons		9. API Well Number:	
	Phillips Petroleum	Company		43-007-30445	
<ol><li>Address and Telephone</li></ol>		4 D.O. D 0/1 D	TD 0.4501 (43.5) (13.0777	10. Field or Pool, or Wildcat:	
	6825 South 5300 We	st, P.O. Box 851, Price, U	T 84501 (435) 613-9777	Drunkards Wash	
Location of Well Footages:	1274' FSL, 1351' FWL			County: Carbon County	
QQ, Sec., T., R., M.:	•	00E GID 0 14		County: Carbon County State:	
	SE/SW, SEC. 26, T15S, F	(09E, SLB & M		Utah	
1. CHECK APPI	ROPRIATE BOXES TO I	NDICATE NATURE	OF NOTICE, REPORT	, OR OTHER DATA	
NOTICE OF INTENT					
	NOTICE OF INTENT (Submit in Duplicate)		,	SUBSEQUENT REPORT (Submit Original Form Only)	
□ Abandon	(Submit in Duplicate)	New Construction	☐ Abandon *		New Construction
<ul><li>□ Abandon</li><li>□ Repair Casing</li></ul>	(Submit In Duplicate)	<ul><li>New Construction</li><li>□ Pull or Alter Csg</li></ul>		(Submit Original Form Only)	<ul><li>New Construction</li><li>□ Pull or Alter Csg</li></ul>
	(Submit In Duplicate)	☐ Pull or Alter Csg	☐ Abandon *	(Submit Original Form Only)	
☐ Repair Casing	(Submit In Duplicate)  [ Insert the second of the second o	☐ Pull or Alter Csg	☐ Abandon * ☐ Repair Casing	(Submit Original Form Only)  [ [	☐ Pull or Alter Csg
<ul><li>☐ Repair Casing</li><li>☐ Change of Pla</li></ul>	(Submit In Duplicate)  [	Pull or Alter Csg Recomplete	☐ Abandon * ☐ Repair Casing ☐ Change of Plans ☐ Convert to Injection ☐ Fracture Treat or Aci	(Submit Original Form Only)  [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [	☐ Pull or Alter Csg☐ Reperforate
<ul><li>□ Repair Casing</li><li>□ Change of Pla</li><li>□ Convert to Injection</li></ul>	(Submit In Duplicate)  [ Ins	☐ Pull or Alter Csg☐ Recomplete☐ Reperforate	☐ Abandon * ☐ Repair Casing ☐ Change of Plans ☐ Convert to Injection ☐ Fracture Treat or Aci	(Submit Original Form Only)  [ ]  [ ]  [ ]  [ ]  [ ]  [ ]  [ ]  [	Pull or Alter Csg Reperforate Vent or Flare Water Shut-Off
<ul><li>□ Repair Casing</li><li>□ Change of Pla</li><li>□ Convert to Inje</li><li>□ Fracture Treat</li></ul>	(Submit In Duplicate)  [ Ins	☐ Pull or Alter Csg☐ Recomplete☐ Reperforate☐ Vent or Flare	☐ Abandon * ☐ Repair Casing ☐ Change of Plans ☐ Convert to Injection ☐ Fracture Treat or Aci	(Submit Original Form Only)  [ ]  [ ]  [ ]  [ ]  [ ]  [ ]  [ ]  [	Pull or Alter Csg Reperforate Vent or Flare
□ Repair Casing □ Change of Pla □ Convert to Inje □ Fracture Treat □ Multiple Comp	(Submit In Duplicate)  [ Ins	☐ Pull or Alter Csg☐ Recomplete☐ Reperforate☐ Vent or Flare	□ Abandon * □ Repair Casing □ Change of Plans □ Convert to Injection □ Fracture Treat or Aci ☑ Other _ Chemica	(Submit Original Form Only)  [ ]  [ ]  [ ]  [ ]  [ ]  [ ]  [ ]  [	Pull or Alter Csg Reperforate Vent or Flare Water Shut-Off
□ Repair Casing □ Change of Pla □ Convert to Inje □ Fracture Treat □ Multiple Comp □ Other	(Submit In Duplicate)  [ Ins	☐ Pull or Alter Csg☐ Recomplete☐ Reperforate☐ Vent or Flare	□ Abandon * □ Repair Casing □ Change of Plans □ Convert to Injection □ Fracture Treat or Aci □ Other Chemica □ Date of work completion	(Submit Original Form Only)  [	☐ Pull or Alter Csg☐ Reperforate☐ Vent or Flare☐ Water Shut-Off

Please be advised that the above referenced well was chemically treated with 2500 gallons of low Ph fluid & 250 gallons of 7 1/2% HCL on 08/17/01.

13. Name & Signature: Rochelle Crabtree Pool le Coltine 09/07/2001 Administrative Assistant

(This space for state use only)



Re:

Notice of Address Change, Merger and Name Change

Address Change effective December 2, 2002

Merger and Name Change effective December 31, 2002

Divisions of Oil, Gas, and Mining Attn: Mr. John Baza 1594 West North Temple. Suite 1210, P. O. Box 145801

Salt Lake City, UT 84114-5801

#### Gentlemen:

- Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.
- On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

#### **U.S. Mail Address:**

ConocoPhillips Company P.O. Box 2197 Houston, Texas 77252 Attn: Chief Landman, San Juan/Rockies

## **Physical Address & Overnight Delivery:**

ConocoPhillips Company 550 Westlake Park Blvd. Three Westlake Park 3WL, Room WL 9000 Houston, Texas 77079 Attn: Chief Landman. San Juan/Rockies

## All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

Attn: Chief Landman. San Juan/Rockies

Fax No.: 832-486-2688 or 832-486-2687

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters Weilian Painbai

Sincerely,

RECTIVED

DEC 0 2 2002

DIVISION OF OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

	DIVISION OF OIL, GAS AND M	INING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to dril	I new wells, significantly deepen existing wells below cu I laterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL	L GAS WELL OTHER	All	8. WELL NAME and NUMBER: See Attached List
2. NAME OF OPERATOR: Phillips Petroleum Comp	anv		9. API NUMBER: See List
3. ADDRESS OF OPERATOR:	TIY Bartlesville STATE OK ZIF	PHONE NUMBER: (918) 661-4415	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	Little Control of Stage of Capacity Control of Cont		1. 1 same Many Kithan Same Pany (1. 18)
FOOTAGES AT SURFACE: See	Attached List		COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:		STATE: <b>UTAH</b>
11. CHECK APP	PROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR C	COMPLETED OPERATIONS. Clearly show all p	pertinent details including dates, depths, volume	es, etc.
Conoco Inc. was merged	into Phillips Petroleum Company ctive on the same date, the name	, the surviving corporation, on De	cember 31, 2002. In connection
Company". We are requi	esting that a new Operator Number	er be assigned to ConocoPhillips	Company.
Please send production r	eporting forms to Herb Hendersor	n at ConocoPhillips Company, 31	5 S. Johnstone. 980 Plaza Office.
	derb's phone number is 918-661-4		,
Current Operator		New Operator	7
Phillips Petroleum Compa	any	ConocoPhillips Company	RECEIVED
24 M		7/10 1 0 3	HEOLIVED
HOU COM		youanda Teres	JAN 0 8 2003
Steve de Albuquerque		Yolanda Perez	0 0 2000
<i>\( \                                  </i>			DIV. OF OIL, GAS & MINING
v			
NAME (PLEASE PRINT) Yolanda I	Perez	Sr. Regulatory Ar	nalyst
- 1	. 1		-
SIGNATURE <b>Mollande</b>	a terez	DATE12/30/2002	
//			



# SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:

- 1. As Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation.
- 2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12<sup>th</sup> day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.
- 3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12<sup>th</sup> day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.

> -Secr**et**ary nocoPhillips Company

Susan F. Short
Notary Public

STATE OF TEXAS

COUNTY OF HARRIS

This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said Corporation

**RECEIVED** 

JAN 0 8 2003

DIV. OF OIL, GAS & MINING



PAGE :

# The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

JAN 0 8 2003

DIV. OF OIL, GAS & MINING



Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183360

DATE: 01-02-03

Varriet Smith Hindson

0064324 8100

030002793

HOU03:884504.1

(THU) 12. 12 02 13:32/ST. 13:32/ST.

## CERTIFICATE OF AMENDMENT

#### to the

## RESTATED CERTIFICATE OF INCORPORATION

of

# PHILLIPS PETROLEUM COMPANY (to be renamed ConocoPhillips Company)

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

- 1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.
- 2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

- 3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:
  - "Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."
- 4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

RECEIVED

JAN 0 8 2003

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this 12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

Name:

Rick A. Harrington

Senior Vice President, Legal, and General Counsel Title:

HOU03:884504.1

RECEIVED JAN 0 8 2003

DIV. OF OIL, GAS & MINING



# The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,

WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILLIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

> RECEIVED JAN 0 8 2003

DIV. OF OIL, GAS & MINING



Darriet Smith Windson Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183370

DATE: 01-02-03

0064324 8100M

030002793

STATE OF DELAWARE (THU) 12. 12' 02 13:35/ST. 13:540ARTAR 6F56739EF 16 DIVISION OF CORPORATIONS FILE 01:44 PM 12/12/2002 020763253 — 0064324

#### CERTIFICATE OF MERGER

Δf

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company (a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

NAME

STATE OF INCORPORATION

PHILLIPS PETROLEUM COMPANY

Delaware

CONOCO INC.

Delaware

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079:

RECEIVED

JAN 0 8 2003

Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY

(a Delaware corporation)

By:

Name: Rick A. Harrington

Title: Senior Vice President, Legal, and General Counsel

JAN 0 8 2003



## **CONOCOPHILLIPS COMPANY**

oration - Foreign - Profit 562960-0143

REFERENCE NUMBER(S). CLASSIFICATION(S) & DETAIL(S)

**EFFECTIVE** 06/14/1946

**EXPIRATION** \*RENEWAL

UNITED STATES CORP CO CONOCOPHILLIPS COMPANY GATEWAY TOWER EAST STE 900 10 EAST SOUTH TEMPLE SLC UT 84133

**RECEIVED** JAN 0 8 2003

DIV. OF OIL, GAS & MINING

# STATE OF UTAH DEPARTMENT OF COMMERCE **DIVISION OF CORPORATIONS & COMMERCIAL CODE**

# REGISTRATION

**EFFECTIVE DATE:** 

06/14/1946

**EXPIRATION DATE:** 

\*RENEWAL

**ISSUED TO:** 

**CONOCOPHILLIPS COMPANY** 



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

562960-0143

Corporation - Foreign - Profit

\*RENEWAL

You will need to renew your registration each anniversary date of the effective date.

Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.



API Well Number	Well Name	Well Type	Well Status	Sec	Twnn	Twnd	Rnan	Rnad
43-007-30887-00-00		Gas Well	APD	32	14		10	
43-007-30865-00-00		Gas Well	APD	29			10	
43-007-30837-00-00		Gas Well	APD	32				E
43-047-34551-00-00		Gas Well	APD	24			17	
43-047-33982-00-00		Gas Well	APD	17	10		18	
	FEDERAL 12-29-7 1	Gas Well	APD	29		S	19	
43-047-34472-00-00		Gas Well	APD	31		S	19	
	MCKENDRICK 29-548	Gas Well	APD	29	14		10	
43-015-30512-00-00	·	Gas Well	APD	19	16		9	F
43-015-30515-00-00	PPCO 24-562	Gas Well	APD	24	16		8	E
43-015-30548-00-00		Gas Well	APD	30	16			E
43-007-30888-00-00		Gas Well	APD	32	14			E
43-007-30813-00-00		Gas Well	APD	33	13			E
43-007-30766-00-00	RITZAKIS 33-516	Gas Well	APD	33	13			E
43-007-30838-00-00		Gas Well	APD	32	13			E
43-007-30863-00-00		Gas Well	APD	29	14		10	
43-007-30797-00-00		Gas Well	APD	15	14			E
43-007-30798-00-00	SEELY 15-499	Gas Well	APD	15	14			E
43-007-30799-00-00	SEELY 15-500	Gas Well	APD	15	14		8	
43-007-30796-00-00	SEELY 22-492	Gas Well	APD	22	14		8	
43-007-30801-00-00	SEELY 22-502	Gas Well	APD	22	14		8	
43-007-30802-00-00	SEELY 22-503	Gas Well	APD	22	14		8	
43-007-30711-00-00	USA 09-452	Gas Well	APD	9	15	S	8	
43-015-30351-00-00	USA 11-313	Gas Well	APD	11	16		9	
43-015-30398-00-00	USA 12-385	Gas Well	APD	12	16	S	9	E
43-015-30409-00-00	USA 12-426	Gas Well	APD	12	16	S	9	E
43-007-30805-00-00	USA 14-490	Gas Well	APD	14	14	S	8	E
43-007-30806-00-00	USA 14-491	Gas Well	APD	14	14		8	Ē
43-007-30676-00-00	USA 15-421	Gas Well	APD	15	15	S	8	E
43-015-30417-00-00	USA 21-427	Gas Well	APD	21	16	S	9	E
43-015-30416-00-00		Gas Well	APD	21	16		9	E
43-015-30415-00-00		Gas Well	APD	21	16		9	E
43-007-30515-00-00		Gas Well	APD	31	15		10	
43-007-30835-00-00		Gas Well	APD	33	13		9	
43-007-30836-00-00		Gas Well	APD	33	13	S	9	E
43-007-30803-00-00		Gas Well	APD	34	14		8	
43-007-30478-00-00			APD	5	15		9 1	
43-015-30411-00-00			APD	16	16		9	
43-015-30412-00-00			APD	16	16		9	
43-015-30413-00-00			APD	16	16		9	
43-015-30299-00-00		•	APD	18	16		9	
43-015-30420-00-00			APD	19	16		9	
43-015-30492-00-00			APD	19	16		9 1	
43-007-30891-00-00			APD	19	14		10	
43-015-30414-00-00			APD	20	16		9 1	
43-015-30421-00-00			APD	20	16		9 1	
43-015-30518-00-00			APD	25	16		8	E
43-015-30539-00-00			APD	25	16		8 1	
43-015-30540-00-00			APD	25	16		8	
43-007-30817-00-00			APD	25	13		9 1	
43-015-30543-00-00			APD	26	16		8	
43-015-30547-00-00	****		APD	29	16		9 [	
43-007-30889-00-00	TAN TAN		APD	32	14		10	
<b>43-007-</b> 30814-00-00	JTAH 35-506	Gas Well	APD	35	13	s	9 [	Ε





API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rnad
43-047-33750-00-00		Gas Well	Ρ	29		S	19	
	GAROFOLA 26-482	Gas Well	Р	26				E
	GIACOLETTO 11-113	Gas Well	Р	11	14			E
	GIACOLETTO 13-120	Gas Well	Р	13	14			E
	GIACOLETTO 14-121	Gas Well	P	14	14			E
	HELPER & ASSOC 07-307	Gas Well	P	7	15			Ē
	HELPER & ASSOC 18-236	Gas Well	P	18	15		9	
	HELPER & ASSOC 18-308	Gas Well	P	18	15		9	
	HELPER & ASSOC 8-232	Gas Well	P	8	15		9	
	HELPER & ASSOCIATES 7-84	Gas Well	P	7	15		9	
43-007-30588-00-00		Gas Well	P	16	15		10	
	KAKATSIDES 31-197	Gas Well	P	31	14		9	
43-007-30296-00-00		Gas Well	P	17	15		10	
43-007-30323-00-00		Gas Well	Р	16	14		9	
	PETES WASH 23-12 #1	Gas Well	P	12	10			E
43-007-30748-00-00		Gas Well	Р	25	15		8	
43-007-30749-00-00		Gas Well	Р	25	15	S		Ē
43-007-30754-00-00		Gas Well	P	26	15		8	
43-007-30755-00-00		Gas Well	P	26	15		8	
43-007-30745-00-00		Gas Well	P	26	15		8	
	PINNACLE PEAK 19-171	Gas Well	P	19	14		9	
43-007-30845-00-00	I	Gas Well	Р	10	15		8	
43-007-30282-00-00		Gas Well	P	19	15		10	
43-007-30283-00-00		Gas Well	P	19	15		10	
43-007-30346-00-00		Gas Well	P	30	15		10	
43-015-30279-00-00		Gas Well	P	10	16		8	
43-015-30494-00-00		Gas Well	P	15	16		8	
	PRETTYMAN 10-15-34	Gas Well	P	10	14		9	
1	PRETTYMAN 11-114	Gas Well	P	11	14		9	
43-007-30653-00-00		Gas Well	P	21	15		9	
<u> </u>		Gas Well	Р	21	15			Ē
43-007-30747-00-00		Gas Well	P	25	15			Ē
43-007-30559-00-00		Gas Well	P	28	15		9	
43-007-30518-00-00		Gas Weli	P	28	15		9	
43-007-30509-00-00		Gas Well	P	3	14		9	<del>-</del> - 1
43-007-30473-00-00			P	5	14		9	
43-007-30474-00-00			P	5	14		9	
43-007-30475-00-00			P	8	14		9	
43-007-30479-00-00			P	8	14		9	
43-007-30476-00-00			P	8	14		9	
	ROBERTSON 32-127		P	32	14		10	
43-007-30610-00-00			P	16	15		10	
43-007-30723-00-00			P	16	15		10	
43-007-30765-00-00			P	16	15		10	
43-007-30800-00-00			P	22	14		8	
43-007-30130-00-00			P	25	14		9	
43-007-30142-00-00			P	36	14		9	
	STELLA-HAMAKER 10-174		P	10	15		8	
43-007-30746-00-00			P	23	15		8	
43-007-30319-00-00			P	15	14		9	E
43-007-30322-00-00			P	16	14		9	
43-007-30300-00-00			P	19	14		9	
43-007-30299-00-00			P	19	14		9	
43-007-30327-00-00			P	20	14		9	
10 007 00027 00 00	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Cuo VV CII	1	20		<u> </u>	9	



API Well Number	Well Name	Well Type	Well Status	Soc	Two	Twnd	Dnan	Doge
43-007-30631-00-00		Gas Well	P	13				
43-007-30031-00-00		Gas Well	P	13			0	E E
43-007-30706-00-00		Gas Well	P	13			0	E
43-007-30789-00-00	·	Gas Well	P	13	14	1	0	E
43-007-30790-00-00		Gas Well	P	13	14		0	E
43-007-30750-00-00		Gas Well	Р	13	14		0	E
43-007-30300-00-00	<del></del>	Gas Well	Р	14	14		9	E
43-015-30418-00-00	In the second se	Gas Well	P	14	16		9	E
43-007-30579-00-00		Gas Well	P	14	15	1.	9	E
43-007-30634-00-00		Gas Well	P	14	15		0	E
43-007-30646-00-00		Gas Well	P	14	15		8	
43-007-30647-00-00	h	Gas Well	P	14	15		8	
43-007-30791-00-00		Gas Well	P	14	14		8	
43-007-30792-00-00	<del> </del>	Gas Well	P	14	14		8	_
43-007-30529-00-00		Gas Well	P	14	14		0	
43-007-30263-00-00		Gas Well	P	14	14		9 9	
43-007-30450-00-00		Gas Well	P	15	14		9	<u> </u>
43-007-30423-00-00		Gas Well	P	15	14		9	<u> </u>
43-007-30690-00-00		Gas Well	P	15	15		8	
43-007-30691-00-00		Gas Well	P	15	15		8	
43-007-30264-00-00		Gas Well	P	15	14		9	=
43-007-30422-00-00		Gas Well	P	17	14		9	_
43-007-30622-00-00		Gas Well	P	17	14		9	
43-007-30618-00-00		Gas Well	P	18	14		9	
43-007-30417-00-00		Gas Well	P	18	14		9	
43-007-30619-00-00		Gas Well	P	18	14		9	
43-007-30393-00-00		Gas Well	P	19	15		10	
43-007-30393-00-00		Gas Well	P	19	15	0	10	
43-007-30448-00-00		Gas Well	P	20	15	0	10	
43-007-30451-00-00		Gas Well	P	20	15		10	
43-007-30590-00-00		Gas Well	P	20	15		10	
43-007-30591-00-00		Gas Well	P	20	15		10	
43-007-30424-00-00		Gas Well	P	21	14		9	
43-007-30425-00-00		Gas Well	P	21	14		9	
43-007-30426-00-00			P	22	14		9	
43-007-30477-00-00	······································	<u> </u>	P	22	14	0	9	
43-007-30700-00-00			P	22	15		8	
43-007-30611-00-00			P	23	14		8	
43-007-30650-00-00			<u>'</u>	23	15		8	
43-007-30704-00-00			P	23	15		8	
43-007-30503-00-00			P	23	15		8	
43-007-30793-00-00			P	23	14		8	
43-007-30794-00-00			P	23	14		8	
43-007-30795-00-00			P	23	14		8	
43-007-30469-00-00			P	24	14		8	
43-007-30612-00-00			P	24	14		8	
43-007-30613-00-00			P	24	14		8	
43-007-30651-00-00			P	24	15		8	
43-007-30648-00-00			P	24	15		8	
43-007-30708-00-00	1		P					
43-007-30652-00-00				24	14		8	
	7 11 12 12 12 12 12 12 12 12 12 12 12 12		P	24	15		8	
43-007-30705-00-00			P	24	15		8	
43-007-30505-00-00			<u>P</u>	25	15		8	
43-007-30614-00-00	USA 20-393	Gas Well	P	26	14	>	8	5



•	

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30430-00-00	UTAH 06-223	Gas Well	Р	6	15	S	9	E
43-007-30562-00-00	UTAH 06-330	Gas Well	Р	6	15	S	9	E
43-007-30716-00-00	UTAH 06-483	Gas Well	Р	6	15	S	9	Е
43-007-30409-00-00	UTAH 07-234	Gas Well	Р	7	15	S	9	E
43-007-30421-00-00	UTAH 07-235	Gas Well	Р	7	15	S		E
43-007-30411-00-00		Gas Well	Р	8	15	S	9	Е
43-007-30488-00-00	· · · · · · · · · · · · · · · · · · ·	Gas Well	Р	8	15	S		Ε
43-015-30464-00-00	UTAH 08-354	Gas Well	Р	8	16	S	9	E
43-015-30378-00-00	UTAH 08-355	Gas Well	Р	8	16	S		Е
43-015-30379-00-00	UTAH 08-356	Gas Well	Р	8	16	S	9	Е
43-015-30380-00-00	UTAH 08-357	Gas Well	Р	8	16	S	9	E E
43-007-30449-00-00	UTAH 09-227	Gas Well	Р	9	15	S	9	Е
43-007-30561-00-00	UTAH 09-329	Gas Well	Р	9	15	S	9	E
43-015-30300-00-00	UTAH 09-358	Gas Well	Р	9	16	S	9	E
43-015-30407-00-00		Gas Well	Р	9	16	S	9	E
43-015-30397-00-00	UTAH 09-360	Gas Well	Р	9	16	S	9	E
43-015-30408-00-00	UTAH 09-361	Gas Well	Р	9	16	S	9	E
43-007-30580-00-00		Gas Well	Р	9	15	S	10	E
43-007-30605-00-00	· · · · · · · · · · · · · · · · · · ·		Р	9	15	S	10	Ε
43-007-30657-00-00			Р	9	15		10	
43-007-30722-00-00		Gas Well	Р	9	15		10	E
43-007-30302-00-00		Gas Well	Р	10	15		9	
43-007-30298-00-00		Gas Well	Р	10	15		9	
43-007-30432-00-00		Gas Well	Р	10	15		9	
43-007-30303-00-00		Gas Well	Р	10	15		9	
43-007-30228-00-00		Gas Well	Р	11	15		9	
43-007-30229-00-00			Р	11	15		9	
43-007-30230-00-00		Gas Well	Р	11	15		9	
43-007-30231-00-00		Gas Well	Р	11	15		9	E
43-007-30467-00-00		Gas Well	Р	1	15	S	8	
43-007-30210-00-00		Gas Well	Р	12	15			E
43-007-30232-00-00		Gas Well	Р	12	15			E
43-007-30233-00-00		Gas Well	Р	12	15			E
43-007-30234-00-00	UTAH 12-56	Gas Well	Р	12	15	S	9	E
43-015-30493-00-00	UTAH 13-376	Gas Well	Р	13	16	S	8	E
43-015-30301-00-00	UTAH 13-550		Р	13	16	S	8	E
43-007-30243-00-00			Р	13	15	S	9	E
43-007-30244-00-00	UTAH 13-66	Gas Well	Р	13	15	S	9	E
43-007-30245-00-00	UTAH 13-67	Gas Well	Р	13	15	s	9	E
43-007-30246-00-00	UTAH 13-68	Gas Well	Р	13	15	S	9	E
43-007-30439-00-00	UTAH 13-92	Gas Well	Р	13	14	s	9	E
43-007-30220-00-00	UTAH 1-42	Gas Well	Р	1	15	S	9	
43-007-30221-00-00	UTAH 1-43		Р	1	15		9	
43-007-30222-00-00			Р	1	15		9	
43-007-30223-00-00			Р	1	15		9	
43-015-30330-00-00			Р	14	16	s	8	
43-015-30331-00-00			Р	14	16		8	
43-007-30239-00-00			P	14	15		9	E
43-007-30240-00-00		Gas Well	P	14	15		9	E
43-007-30241-00-00		Gas Well	P	14	15		9	E
43-007-30242-00-00			P	14	15		9	E
43-015-30334-00-00			P	15	16		8	
43-007-30416-00-00			P	17	15		10	
43-007-30277-00-00			P	17	15		10	
1.5 557 55277-55-55	Q	Jul 11011	<u>·</u>	- ' '	ان-		10	



•	

API Well Number	Well Name	Well Type	Well Status	Sec	Twpr	Twpd	Rngn	Rnad
43-007-30255-00-00	UTAH 24-80	Gas Well	Р	24		s		E
43-007-30256-00-00	UTAH 24-81	Gas Well	Р	24		S	9	E
43-007-30267-00-00	UTAH 24-86	Gas Well	Р	24		S		E
43-007-30375-00-00	UTAH 24-87	Gas Well	Р	24		S		E
43-007-30227-00-00	UTAH 2-49	Gas Well	Р	2		S	9	Е
43-007-30157-00-00	UTAH 25-11-7	Gas Well	Р	25	14		9	E
43-007-30399-00-00	UTAH 25-134	Gas Well	Р	25	15		9	E
43-007-30400-00-00	UTAH 25-252	Gas Well	P	25	15		9	E
43-007-30401-00-00	UTAH 25-253	Gas Well	Р	25	15		9	E
43-007-30402-00-00	UTAH 25-254	Gas Well	Р	25	15		9	E
43-007-30600-00-00	UTAH 25-389	Gas Well	Р	25	14		8	E
43-007-30599-00-00	UTAH 25-390	Gas Well	Р	25	14		8	Ē
43-007-30658-00-00	UTAH 25-391	Gas Well	P	25	14		8	E
43-007-30602-00-00	UTAH 25-392	Gas Well	Р	25	14		8 8	Ē
43-007-30206-00-00		Gas Well	P	25	14		9	
43-015-30519-00-00		Gas Well	Р	25	16		8	
43-007-30156-00-00		Gas Well	P	25	14			E
43-007-30204-00-00	UTAH 26-11-25	Gas Well	P	26	14			Ē
43-007-30205-00-00		Gas Well	Р	26	14		9	
43-007-30181-00-00		Gas Well	P	26	14		9	
43-007-30446-00-00		Gas Well	P	26	15		9	
43-007-30445-00-00		Gas Well	P	26	15		9	
43-007-30444-00-00		Gas Well	P	26	15			E
43-007-30514-00-00		Gas Well	P	26	15		9	
43-015-30541-00-00		Gas Well	P	26	16	9	8	Ē
43-015-30542-00-00		Gas Well	P	26	16			E
43-015-30544-00-00		Gas Well	P	26	16			E
43-007-30202-00-00		Gas Well	P	26	14		9	E
43-007-30395-00-00		Gas Well	P	27	14			E
43-007-30292-00-00		Gas Well	P	27	14		9	
43-007-30457-00-00		Gas Well	P	27	15		9	E
43-007-30458-00-00		Gas Well	Р	27	15	-		E
43-007-30712-00-00		Gas Well	P	27	14		8	
43-007-30714-00-00		Gas Well	P	27	14		8	
43-007-30777-00-00		Gas Well	P	27	14		8	
43-015-30545-00-00		Gas Weli	P	27	16		8 1	
43-007-30193-00-00		Gas Well	P	27	14		9 1	
43-007-30186-00-00		Gas Well	P	27	14		9 1	
43-007-30396-00-00		Gas Well	P	28	14		9 1	
43-007-30397-00-00		Gas Well	P	28	14		9	
43-007-30293-00-00		Gas Well	P	28	14		9 1	
43-007-30294-00-00		Gas Well	P	28	14		9 1	
43-007-30551-00-00		Gas Well	P	28	15		9 1	
43-007-30560-00-00			P	28	15		9 1	
43-007-30405-00-00			P	29	14		9 1	= 1
43-007-30427-00-00		Gas Well	P	29	14		9 1	
43-007-30739-00-00		Gas Well	P	29	15		9 6	
43-007-30740-00-00			P	29	15		9 6	
43-007-30741-00-00			P	29	15		9 8	
43-007-30742-00-00	····		<u>'</u> P	29	15		9 6	
43-007-30262-00-00			P	30	14		10 E	
43-007-30185-00-00			P	30	14		10 [	
43-007-30265-00-00	7.4		P	30	14		9 6	
43-007-30344-00-00			P	30	14		9 E	
	3	CUO TYCH		50	17	<u> </u>	ع ا ت	



J	

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30178-00-00	UTAH 36-1-2	Gas Well	Р	36	14		9	E
43-007-30341-00-00	UTAH 36-135	Gas Well	Р	36	15	S		E
43-007-30343-00-00	UTAH 36-136	Gas Well	Р	36	15	S	9	E
43-007-30342-00-00	UTAH 36-137	Gas Well	Р	36	15	S	9	E
43-007-30315-00-00	UTAH 36-162	Gas Well	Р	36	14	S	8	Е
43-007-30316-00-00	UTAH 36-163	Gas Well	Р	36	14	S	8	E
43-007-30317-00-00	UTAH 36-164	Gas Well	Р	36	14	S	8	E
43-007-30318-00-00	UTAH 36-165	Gas Well	Р	36	14	S	8	Ε
43-007-30144-00-00	UTAH 36-9-5	Gas Well	Р	36	14	S	9	E
43-015-30341-00-00	UTAH 4-280	Gas Well	Р	4	16	S	9	E
43-015-30342-00-00	UTAH 4-282	Gas Well	Р	4	16	S	9	E
43-007-30384-00-00	UTAH 5-205	Gas Well	Р	5	15		9	E
43-007-30269-00-00	UTAH 5-94	Gas Well	Р	5	15	S	10	E
43-007-30270-00-00	UTAH 5-95	Gas Well	Р	5	15	S	10	E
43-007-30271-00-00	UTAH 5-96	Gas Well	Р	5	15	S	10	E
43-007-30217-00-00	UTAH 6-38	Gas Well	Р	6	15	S	10	E
43-007-30218-00-00	UTAH 6-39	Gas Well	Р	6	15	S	10	E
43-007-30219-00-00		Gas Well	Р	6	15		10	E
43-007-30254-00-00	UTAH 6-41	Gas Well	Р	6	15		10	
43-007-30235-00-00	UTAH 7-57	Gas Well	Р	7	15		10	
43-007-30236-00-00		Gas Well	Р	7	15	S	10	E
43-007-30237-00-00	UTAH 7-59	Gas Well	Р	7	15	S	10	
43-007-30238-00-00		Gas Well	Р	7	15			E
43-007-30275-00-00		Gas Well	P	8	15		10	
43-007-30410-00-00			Р	8	15		9	
43-007-30272-00-00			Р	8	15		10	
	UTAH 8-98X		Р	8	15			E
	UTAH 8-99	Gas Well	Р	8	15	- 1	10	
	UTAH 9-228	Gas Well	Р	9	15		9	
	The same of the sa	Gas Well	Р	9	15		9	
43-007-30279-00-00			Р	30	14		10	
			Р	5	15		10	
43-015-30250-00-00	UTAH 16-110	Gas Well	Shut_In	16	16	s	9	Ε



# United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Eastern States Office 7450 Boston Boulevard Springfield, Virginia 22153

IN REPLY REFER TO 3106.8(932.34)WF

January 16, 2003

### **NOTICE**

ConocoPhillips Company

P.O. Box 7500

Bartlesville, Oklahoma 74005

Oil & Gas Leases

# Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to ConocoPhillips Company and the merger of Conoco Incorporated into ConocoPhillips Company on Federal oil and gas leases, with ConocoPhillips Company being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Stullet B. Facher

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

# **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH 2. CDW

3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has ch	anged, effective:	12-31-02				
FROM: (Old Operator):		TO: ( New Operator):				
PHILLIPS PETROLEUM COMPANY		CONOCOPHILLIPS COMPANY				
Address: 980 PLAZA OFFICE		Address: P O BOX 2197, WL3 4066				
BARTLESVILLE, OK 74004		HOUSTON, T	X 77252			
Phone: 1-(918)-661-4415		Phone: 1-(832)				
Account No. N1475		Account No.				
	CA No.	Unit:	_	ARDS WAS	SH	
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
UTAH 25-253	25-15S-09E	43-007-30401	11256	STATE	GW	P
UTAH 25-254	25-15S-09E	43-007-30402	11256	STATE	GW	P
UTAH 26-257	26-15S-09E	43-007-30444	11256	STATE	GW	P
UTAH 26-256	26-15S-09E	43-007-30445	11256	STATE	GW	P
UTAH 26-255	26-15S-09E	43-007-30446	11256	STATE	GW	P
UTAH 26-267	26-15S-09E	43-007-30514	11256	STATE	GW	P
UTAH 27-268	27-15S-09E	43-007-30457	11256	STATE	GW	P
UTAH 27-269	27-15S-09E	43-007-30458	11256	STATE	GW	P
UTAH 32-82	32-15S-09E	43-007-30257	11256	STATE	GW	P
UTAH 32-276	32-15S-09E	43-007-30483	11256	STATE	GW	P
UTAH 32-277	32-15S-09E	43-007-30484	11256	STATE	GW	P
UTAH 33-273	33-15S-09E	43-007-30493	11256	STATE	GW	P
UTAH 33-274	33-15S-09E	43-007-30494	11256	STATE	GW	P
UTAH 33-275	33-15S-09E	43-007-30495	11256	STATE	GW	P
UTAH 33-272	33-15S-09E	43-007-30502	11256	STATE	GW	P
UTAH 34-271	34-15S-09E	43-007-30496	11256	STATE	GW	P
UTAH 34-270	34-15S-09E	43-007-30347	11256	STATE	GW	P
UTAH 34-259	34-15S-09E	43-007-30456	11256	STATE	GW	P
UTAH 34-258	34-15S-09E	43-007-30552	11256	STATE	GW	P
UTAH 35-263	35-15S-09E	43-007-30441	11256	STATE	GW	P
OPERATOR CHANGES DOCUMENTAT Enter date after each listed item is completed  1. (R649-8-10) Sundry or legal documentation was re		MER operator	on:	01/08/200	3	
<ul><li>(R649-8-10) Sundry or legal documentation was re</li><li>The new company has been checked through the D</li></ul>			01/08/200 of Corpora	_	base on:	02/03/2003
4. Is the new operator registered in the State of Utah:	YES	Business Numb	oer:	562960-01	<u>43</u>	

6. (R649-9-2)Waste Management Plan has been received on: <u>IN PLACE</u>
7. <b>Federal and Indian Lease Wells:</b> The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/14/2003
8. Federal and Indian Units:  The BLM or BIA has approved the successor of unit operator for wells listed on:  01/14/2003
9. Federal and Indian Communization Agreements ("CA"):  The BLM or BIA has approved the operator for all wells listed within a CA on:  01/14/2003
10. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Injection the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:  N/A
DATA ENTRY:  1. Changes entered in the Oil and Gas Database on:  02/11/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 02/11/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on:  N/A
STATE WELL(S) BOND VERIFICATION:
1. State well(s) covered by Bond Number: 8140-60-24
FEDERAL WELL(S) BOND VERIFICATION:  1. Federal well(s) covered by Bond Number:  8015-16-69
INDIAN WELL(S) BOND VERIFICATION:
1. Indian well(s) covered by Bond Number:  N/A
FEE WELL(S) BOND VERIFICATION:
1. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed covered by Bond Number 6196922
2. The <b>FORMER</b> operator has requested a release of liability from their bond on:  The Division sent response by letter on:  N/A  N/A
LEASE INTEREST OWNER NOTIFICATION:  3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:  N/A
COMMENTS:

**د**